

ASGMA22 Information

Heisener.com

Part Number ASGMA22
Manufacturer Amphenol PCD

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK GROUND 14-22AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ASGMA22 Specifications

Manufacturer Part Number ASGMA22 Manufacturer Amphenol PCD Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series ASGMA Type Ground, Earth Disconnect Type - Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow		
Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series ASGMA Type Ground, Earth Disconnect Type - Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow	Manufacturer Part Number	ASGMA22
Package - Series ASGMA Type Ground, Earth Disconnect Type Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features Color Green, Yellow	Manufacturer	Amphenol PCD
Package - Series ASGMA Type Ground, Earth Disconnect Type - Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow	Category	Connectors, Interconnects
Series ASGMA Type Ground, Earth Disconnect Type - Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow		Terminal Blocks - Din Rail, Channel
Type Ground, Earth Disconnect Type - Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow	Package	-
Disconnect Type Number of Positions 4 Number of Levels 1 Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - awG Wire Gauge or Range - mm² Features Color Green, Yellow	Series	ASGMA
Number of Positions4Number of Levels1Terminal - Width5.0mmTermination StylePush In, SpringCurrent - IEC24AVoltage - IEC800VCurrent - UL-Voltage - UL-Wire Gauge or Range - AWG14-22 AWGWire Gauge or Range - mm²0.5-2.5mm²Features-ColorGreen, Yellow	Туре	Ground, Earth
Number of Levels Terminal - Width 5.0mm Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Color Green, Yellow	Disconnect Type	-
Terminal - Width Termination Style Push In, Spring Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Color Feetings Green, Yellow	Number of Positions	4
Termination Style Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Color Push In, Spring 24A 800V - 800V - 0.5-2.5mm² Freatures - Color Green, Yellow	Number of Levels	1
Current - IEC 24A Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow	Terminal - Width	5.0mm
Voltage - IEC 800V Current - UL - Voltage - UL - Wire Gauge or Range - AWG 14-22 AWG Wire Gauge or Range - mm² 0.5-2.5mm² Features - Color Green, Yellow	Termination Style	Push In, Spring
Current - UL Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² O.5-2.5mm² Features Color Green, Yellow	Current - IEC	24A
Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Color Green, Yellow	Voltage - IEC	800V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² O.5-2.5mm² Features Color Green, Yellow	Current - UL	-
Wire Gauge or Range - mm ² Features Color O.5-2.5mm ² Green, Yellow	Voltage - UL	-
Features - Color Green, Yellow	Wire Gauge or Range - AWG	14-22 AWG
Color Green, Yellow	Wire Gauge or Range - mm ²	0.5-2.5mm ²
	Features	-
Report errors?	Color	Green, Yellow
		Report errors?

ASGMA22 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ASGMA22 Payment Methods



















ASGMA22 Shipping Methods













If you have any question about ASGMA22, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com