

# ASM12DRXH

### **ASM12DRXH Information**

| Heisener.com       | <br>ASM12DRXH<br>Sullins Connector Solutions<br>Connectors, Interconnects<br>Card Edge Connectors - Edgeboard Connectors<br>CONN EDGE DUAL FMALE 24POS 0.156<br>-<br>For the pricing/inventory/lead time, please contact |                 |
|--------------------|--|-----------------|
| For Reference Only | us<br>Website: https://www.heisener.com<br>E-mail: salesdept@heisener.com  | Request a Quote |

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## **ASM12DRXH Specifications**

| ManufacturerSullins Connector SolutionsCategoryConnectors, InterconnectsCard Edge Connectors - Edgeboard ConnectorsPackage-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions0.062" (1.57mm)Number of Rows0.062" (1.57mm)Features0.156" (3.96mm)FeaturesSolderTorninationSolderContact MaterialSolderContact FinishGold |                             |  |
|--|-----------------------------|--|
| CategoryConnectors, InterconnectsCard Edge Connectors - Edgeboard ConnectorsPackage-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-FeaturesSolderContact MaterialSolderContact FinishGold   | Manufacturer Part Number    | ASM12DRXH  |
| Card Edge Connectors - Edgeboard ConnectorsPackage-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleContact MaterialSolderContact MaterialGold   | Manufacturer                | Sullins Connector Solutions                        |
| Package-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleContact MaterialSolderContact FinishGold  | Category                    | Connectors, Interconnects                          |
| Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold   |                             | Card Edge Connectors - Edgeboard Connectors        |
| Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Package                     | -  |
| GenderFemaleNumber of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Series                      | -  |
| Number of Positions/Bay/Row12Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Card Type                   | Non Specified - Dual Edge                          |
| Number of Positions24Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold   | Gender                      | Female   |
| Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Number of Positions/Bay/Row | 12   |
| Number of Rows2Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold   | Number of Positions         | 24   |
| Pitch0.156" (3.96mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Card Thickness              | 0.062" (1.57mm)                                    |
| Features-Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Number of Rows              | 2  |
| Mounting TypeThrough HoleTerminationSolderContact MaterialBeryllium CopperContact FinishGold   | Pitch                       | 0.156" (3.96mm)                                    |
| TerminationSolderContact MaterialBeryllium CopperContact FinishGold  | Features                    | -  |
| Contact MaterialBeryllium CopperContact FinishGold   | Mounting Type               | Through Hole                                       |
| Contact Finish Gold  | Termination                 | Solder   |
|  | Contact Material            | Beryllium Copper                                   |
| Contact Finish Thickness 10uin (0.25um)  | Contact Finish              | Gold   |
| Topin (0.25µm)   | Contact Finish Thickness    | 10μin (0.25μm)                                     |
| Contact Type Full Bellows  | Contact Type                | Full Bellows                                       |
| Color Green  | Color                       | Green  |
| Flange FeatureTop Mount Opening, Unthreaded, 0.125" (3.18mm) Dia   | Flange Feature              | Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia |
| Operating Temperature $-65^{\circ}\text{C} \sim 150^{\circ}\text{C}$   | Operating Temperature       | $-65^{\circ}\mathrm{C} \sim 150^{\circ}\mathrm{C}$ |
| Report errors?   |                             | Report errors?                                     |

#### **ASM12DRXH Guarantees**



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **ASM12DRXH Payment Methods**



## **ASM12DRXH Shipping Methods**



If you have any question about ASM12DRXH, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com