



ASMT-AL00-NNQ00 Information

Heisener.com

Part Number ASMT-AL00-NNQ00
Manufacturer Broadcom Limited
Category Optoelectronics
LED Lighting - Color

Description LED LIGHT SOURCE 1W ROYAL BLU

Package 2-SMD, Gull Wing, Exposed Pad

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ASMT-AL00-NNQ00 Specifications

Manufacturer Part Number ASMT-AL00-NNQ00 Manufacturer Broadcom Limited Category Optoelectronics LED Lighting - Color Package 2-SMD, Gull Wing, Exposed Pad Series - Color Blue Wavelength 450nm (440nm ~ 460nm) Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)		
Category Category Category Deckage Color Package Color Blue Wavelength Current - Test Current - Max Flux @ Current/Temperature - Test Viewing Angle Mounting Type Package Category Department Surface Mount Package / Case Supplier Device Package Size / Dimension Height - Seated (Max) Done Curel LED Lighting - Color 2-SMD, Gull Wing, Exposed Pad Surface Mount Package / Case C-SMD Size / Dimension O.315" Dia (8.00mm) Height - Seated (Max)	Manufacturer Part Number	ASMT-AL00-NNQ00
Package2-SMD, Gull Wing, Exposed PadSeries-ColorBlueWavelength450nm (440nm ~ 460nm)Current - Test350mAVoltage - Forward (Vf) (Typ)3.2VLumens/Watt @ Current - Test-Current - Max500mAFlux @ Current/Temperature - Test395mW (275mW ~ 515mW)Temperature - Test25°CViewing Angle140°Mounting TypeSurface MountPackage / Case2-SMD, Gull Wing, Exposed PadSupplier Device Package2-SMDSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.165" (4.20mm)	Manufacturer	Broadcom Limited
Package 2-SMD, Gull Wing, Exposed Pad Series - Color Blue Wavelength 450nm (440nm ~ 460nm) Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max)	Category	Optoelectronics
Series - Color Blue Wavelength 450nm (440nm ~ 460nm) Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)		LED Lighting - Color
Color Wavelength 450nm (440nm ~ 460nm) Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) Blue 450nm (440nm ~ 460nm) 350mA 450mA 450mA 52V 450mA 52V 50mA 50mA 50mA 50mA 515mW) 515mW) 515mW) 515mW) 515mW) 515mW 515m	Package	2-SMD, Gull Wing, Exposed Pad
Wavelength 450nm (440nm ~ 460nm) Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Series	-
Current - Test 350mA Voltage - Forward (Vf) (Typ) 3.2V Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Color	Blue
Voltage - Forward (Vf) (Typ) Lumens/Watt @ Current - Test - Current - Max 500mA Flux @ Current/Temperature - Test 25°C Viewing Angle Mounting Type Surface Mount Package / Case Supplier Device Package Size / Dimension Height - Seated (Max) 3.2V 3.2V 3.2V 3.2V 3.2V 500mA 500mA 515mW) 25°C Viewing Angle 140° Surface Mount 2-SMD, Gull Wing, Exposed Pad 3.2V 500mA 500m	Wavelength	450nm (440nm ~ 460nm)
Lumens/Watt @ Current - Test-Current - Max500mAFlux @ Current/Temperature - Test395mW (275mW ~ 515mW)Temperature - Test25°CViewing Angle140°Mounting TypeSurface MountPackage / Case2-SMD, Gull Wing, Exposed PadSupplier Device Package2-SMDSize / Dimension0.315" Dia (8.00mm)Height - Seated (Max)0.165" (4.20mm)	Current - Test	350mA
Current - Max Flux @ Current/Temperature - Test 395mW (275mW ~ 515mW) Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Voltage - Forward (Vf) (Typ)	3.2V
Flux @ Current/Temperature - Test Temperature - Test 25°C Viewing Angle Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package Size / Dimension Height - Seated (Max) 395mW (275mW ~ 515mW) 25°C 25°C Surface Mount 2-SMD Surface Mount 2-SMD 0.315" Dia (8.00mm)	Lumens/Watt @ Current - Test	-
Temperature - Test 25°C Viewing Angle 140° Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Current - Max	500mA
Viewing Angle Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Flux @ Current/Temperature - Test	395mW (275mW ~ 515mW)
Mounting Type Surface Mount Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Temperature - Test	25°C
Package / Case 2-SMD, Gull Wing, Exposed Pad Supplier Device Package 2-SMD Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Viewing Angle	140°
Supplier Device Package Size / Dimension Height - Seated (Max) 2-SMD 0.315" Dia (8.00mm) 0.165" (4.20mm)	Mounting Type	Surface Mount
Size / Dimension 0.315" Dia (8.00mm) Height - Seated (Max) 0.165" (4.20mm)	Package / Case	2-SMD, Gull Wing, Exposed Pad
Height - Seated (Max) 0.165" (4.20mm)	Supplier Device Package	2-SMD
	Size / Dimension	0.315" Dia (8.00mm)
Report errors?	Height - Seated (Max)	0.165" (4.20mm)
		Report errors?

ASMT-AL00-NNQ00 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ASMT-AL00-NNQ00 Payment Methods



















ASMT-AL00-NNQ00 Shipping Methods













If you have any question about ASMT-AL00-NNQ00, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com