

AT0805BRD07324RL

AT0805BRD07324RL Information



Part Number	AT0805BRD07324RL
Manufacturer	Yageo
Category	Resistors Chip Resistor - Surface Mount
Description	RES SMD 324 OHM 0.1% 1/8W 0805
Package	0805 (2012 Metric)
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



AT0805BRD07324RL Specifications

Manufacturer Part Number AT0805BRD07324RL Manufacturer Yageo Category Resistors Chip Resistor - Surface Mount Chip Resistor - Surface Mount Package 0805 (2012 Metric) Series AT Resistance 324 Ohms Tolerance ±0.1% Power (Watts) 0.125W, 1/8W Composition Thin Film Features Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant Poper fuice Coefficient ±25pm/°C Operating Temperature 6805 (2012 Metric) Stack / Case 0805 (2012 Metric) Supplier Device Package 0805 (2012 Metric) Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failurer Rate -			
CategoryResistorsChip Resistor - Surface MountPackage0805 (2012 Metric)PackageATResistance324 OhmsTolerance±0.1%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.024" (0.60mm x 1.25mm)Height - Seated (Max)2Anuber of Terminations2Failure Rate-Failure Rate- <tr< td=""><td>Manufacturer Part Number</td><td>AT0805BRD07324RL</td><td></td></tr<>	Manufacturer Part Number	AT0805BRD07324RL	
Chip Resistor - Surface MountPackage0805 (2012 Metric)SeriesATResistance324 OhmsTolerance±0.1%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm°COperating Temperature0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)2Failure Rate-	Manufacturer	Yageo	
Package0805 (2012 Metric)SeriesATResistance324 OhmsTolerance±0.1%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature0.55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Category	Resistors	
SeriesATResistance324 OhmsTolerance±0.1%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0.024" (0.60mm) x 1.25mm)Height - Seated (Max)2Number of Terminations2Failure Rate-		Chip Resistor - Surface Mount	
Resistance324 OhmsTolerance±0.1%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.024" (0.60mm x 1.25mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Package	0805 (2012 Metric)	
Tolerance±0.1%Power (Watts)0.12SW, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.24" (0.60mm)Number of Terminations2Failure Rate-	Series	AT	
Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Resistance	324 Ohms	
CompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient $\pm 25 ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 155^{\circ}C$ Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Tolerance	$\pm 0.1\%$	
FeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantFeatures±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Power (Watts)	0.125W, 1/8W	
Temperature Coefficient ±25pm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -	Composition	Thin Film	
Operating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Features	Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant	
Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Temperature Coefficient	$\pm 25 ppm/^{\circ}C$	
Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Operating Temperature	-55°C ~ 155°C	
Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Package / Case	0805 (2012 Metric)	
Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Supplier Device Package	0805	
Number of Terminations2Failure Rate-	Size / Dimension	0.079" L x 0.049" W (2.00mm x 1.25mm)	
Failure Rate -	Height - Seated (Max)	0.024" (0.60mm)	
	Number of Terminations	2	
Report errors?	Failure Rate	-	
			Report errors?

AT0805BRD07324RL Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

AT0805BRD07324RL Payment Methods



If you have any question about AT0805BRD07324RL, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com