

AT0805DRD0780K6L

AT0805DRD0780K6L Information



Part Number	AT0805DRD0780K6L
Manufacturer	Yageo
Category	Resistors Chip Resistor - Surface Mount
Description	RES SMD 80.6K OHM 0.5% 1/8W 0805
Package	0805 (2012 Metric)
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



AT0805DRD0780K6L Specifications

Manufacturer Part Number AT0805DRD0780K6L Manufacturer Yageo Category Resistors Chip Resistor - Surface Mount Chip Resistor - Surface Mount Package 0805 (2012 Metric) Series AT Resistance 80.6 kOhms Tolerance ±0.5% Power (Watts) 0.125W, 1/8W Composition Thin Film Features Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant Operating Temperature >55°C ~ 155°C Operating Temperature 8005 (2012 Metric) Supplier Device Package 8005 Size / Dimension 0.079° L x 0.049° W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -		
CategoryResistorCategoryResistor - Surface MountPackage0805 (2012 Metric)Package0805 (2012 Metric)SeriesATResistance80.6 kOhmsTolerance±0.5%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature0805 (2012 Metric)Supplier Device Package0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.024" (0.60mm) x 1.25mm)Height - Seated (Max)2Failure Rate-	Manufacturer Part Number	AT0805DRD0780K6L
InterformationChip Resistor - Surface MountPackage0805 (2012 Metric)SeriesATResistance80.6 kOhmsTolerance±0.5%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm°COperating Temperature6805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)2Failure Rate-	Manufacturer	Yageo
Package 0805 (2012 Metric) Series AT Resistance 80.6 kOhms Tolerance ±0.5% Power (Watts) 0.125W, 1/8W Composition Thin Film Features Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant Temperature Coefficient ±25ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -	Category	Resistors
SeriesATResistance80.6 kOhmsTolerance \pm 0.5%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient \pm 25pm/°COperating Temperature0805 (2012 Metric)Package / Case0805 (2012 Metric)Supplier Device Package0.024" (0.60mm) x 1.25mm)Height - Seated (Max)2Number of Terminations2Failure Rate-		Chip Resistor - Surface Mount
Resistance80.6 kOhmsTolerance±0.5%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.024" (0.60mm) x 1.25mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Package	0805 (2012 Metric)
Tolerance±0.5%Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Series	AT
Power (Watts)0.125W, 1/8WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Resistance	80.6 kOhms
CompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient $\pm 25ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 155^{\circ}C$ Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Tolerance	±0.5%
FeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Power (Watts)	0.125W, 1/8W
Temperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Composition	Thin Film
Operating Temperature -55°C ~ 155°C Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -	Features	Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant
Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension0.079" L x 0.049" W (2.00mm x 1.25mm)Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Temperature Coefficient	±25ppm/°C
Supplier Device Package 0805 Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -	Operating Temperature	-55°C ~ 155°C
Size / Dimension 0.079" L x 0.049" W (2.00mm x 1.25mm) Height - Seated (Max) 0.024" (0.60mm) Number of Terminations 2 Failure Rate -	Package / Case	0805 (2012 Metric)
Height - Seated (Max)0.024" (0.60mm)Number of Terminations2Failure Rate-	Supplier Device Package	0805
Number of Terminations2Failure Rate-	Size / Dimension	0.079" L x 0.049" W (2.00mm x 1.25mm)
Failure Rate -	Height - Seated (Max)	0.024" (0.60mm)
	Number of Terminations	2
Report errors?	Failure Rate	-
		Report errors?

AT0805DRD0780K6L Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

AT0805DRD0780K6L Payment Methods



If you have any question about AT0805DRD0780K6L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com