

AT1206DRD071K18L

AT1206DRD071K18L Information



Part Number	AT1206DRD071K18L
Manufacturer	Yageo
Category	Resistors Chip Resistor - Surface Mount
Description	RES SMD 1.18K OHM 0.5% 1/4W 1206
Package	1206 (3216 Metric)
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



AT1206DRD071K18L Specifications

Manufacturer Part Number AT1206DRD071K18L Manufacturer Yageo Category Resistors Chip Resistor - Surface Mount Chip Resistor - Surface Mount Package 1206 (3216 Metric) Series AT Resistance 1.18 kOhms Tolerance ±0.5% Power (Watts) 0.25W, 1/4W Composition Thin Film Features Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant Package / Case 1206 (3216 Metric) Supplier Device Package 1206 (3216 Metric) Supplier Device Package 1206 (3216 Metric) Size / Dimension 0.122° L x 0.063° W (3.10mm x 1.60mm) Height - Seated (Max) 0.026° (0.65mm) Number of Terminations 2.			
CategoryResistorsChip Resistor - Surface MountPackage1206 (3216 Metric)PackageATResistance1.18 kOhmsTolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.26" (0.65mm)Number of Terminations2Failure Rate-	Manufacturer Part Number	AT1206DRD071K18L	
Chip Resistor - Surface MountPackage1206 (3216 Metric)SeriesATResistance1.18 kOhmsTolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)2Failure Rate-	Manufacturer	Yageo	
Package1206 (3216 Metric)SeriesATResistance1.18 kOhmsTolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)2Failure Rate-	Category	Resistors	
SeriesATResistance1.18 kOhmsTolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)2Number of Terminations2Failure Rate-		Chip Resistor - Surface Mount	
Resistance1.18 kOhmsTolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Package	1206 (3216 Metric)	
Tolerance±0.5%Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.26e" (0.65mm)Number of Terminations2Failure Rate-	Series	AT	
Power (Watts)0.25W, 1/4WCompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Resistance	1.18 kOhms	
CompositionThin FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient $\pm 25 ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 155^{\circ}C$ Package / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Tolerance	$\pm 0.5\%$	
FeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantFeatures±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Power (Watts)	0.25W, 1/4W	
Temperature Coefficient±25pm/°COperating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Composition	Thin Film	
Operating Temperature-55°C ~ 155°CPackage / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Features	Anti-Sulfur, Automotive AEC-Q200, Moisture Resistant	
Package / Case1206 (3216 Metric)Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Temperature Coefficient	±25ppm/°C	
Supplier Device Package1206Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Operating Temperature	-55°C ~ 155°C	
Size / Dimension0.122" L x 0.063" W (3.10mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Package / Case	1206 (3216 Metric)	
Height - Seated (Max)0.026" (0.65mm)Number of Terminations2Failure Rate-	Supplier Device Package	1206	
Number of Terminations2Failure Rate-	Size / Dimension	0.122" L x 0.063" W (3.10mm x 1.60mm)	
Failure Rate -	Height - Seated (Max)	0.026" (0.65mm)	
	Number of Terminations	2	
Report errors?	Failure Rate	-	
Report crists:			Report errors?

AT1206DRD071K18L Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

AT1206DRD071K18L Payment Methods



If you have any question about AT1206DRD071K18L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com