



ATM524VTR Information

Heisener.com

For Reference Only

Part Number ATM524VTR
Manufacturer APEM Inc.
Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ATM524VTR Specifications

Manufacturer Part Number ATM524VTR Manufacturer APEM Inc. Category Switches Package - Series ATM Circuit SPST-NO Switch Function Off-Mom Conact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -		
Category Switches Package - Series ATM Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Fore 260gf Ingress Protection - Features -	Manufacturer Part Number	ATM524VTR
Package - Series ATM Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Contact Rating Cull Wing Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Coperating Force 260gf Ingress Protection - Features - Commanded - Com	Manufacturer	APEM Inc.
Package - Series ATM Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -	Category	Switches
Series ATM Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -		Tactile Switches
Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -	Package	-
Switch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeFlushMounting TypeSurface MountActuator Height off PCB, Vertical0.80mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline5.20mm x 5.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Series	ATM
Contact Rating @ Voltage Actuator Type Flush Mounting Type Surface Mount Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Top Actuated Termination Style Outline Gull Wing Outline S.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 0.05A @ 12VDC Flush Non-Illush Non-Illush Surface Mount Surface Mount O.80mm Surface Mount O.80mm Surface Mount O.80mm Surface Mount O.80mm	Circuit	SPST-NO
Actuator Type Surface Mount Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features - Features - Features - Features - Fundament Surface Mount 0.80mm Actuator Mount 0.80mm Non-Actuated Call Wing Fundament Surface Flush Non-Illumination Surface Mount Non-Actuated Fundament Surface Flush Surface Mount Non-Actuated Fundament Surface Surface Mount Surface Mount Fundament Surface Surface Mount Fundament Surface Surface Mount Surface Mount Surface Mount Fundament Surface Fund	Switch Function	Off-Mom
Mounting TypeSurface MountActuator Height off PCB, Vertical0.80mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StyleGull WingOutline5.20mm x 5.20mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical 0.80mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features - O.80mm Oglither Oglither Oglither Oglither Oglither O.80mm Oglither Ogl	Actuator Type	Flush
Actuator Length, Right Angle Actuator Orientation Top Actuated Gull Wing Outline 5.20mm x 5.20mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features	Mounting Type	Surface Mount
Actuator Orientation Top Actuated Termination Style Gull Wing Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features	Actuator Height off PCB, Vertical	0.80mm
Termination Style Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Gull Wing 5.20mm x 5.20mm Non-Illuminated - - - - - - - - - - - - -	Actuator Length, Right Angle	-
Outline 5.20mm x 5.20mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 260gf Ingress Protection - Features -	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Termination Style	Gull Wing
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Outline	5.20mm x 5.20mm
Illumination Voltage (Nominal)-Operating Force260gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force 260gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	260gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

ATM524VTR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ATM524VTR Payment Methods



















ATM524VTR Shipping Methods













If you have any question about ATM524VTR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com