



ATSC4R Information

Heisener.com

Part Number ATSC4R

Manufacturer Amphenol PCD

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK DISCONN 12-22AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ATSC4R Specifications

Manufacturer Part Number ATSC4R Manufacturer Amphenol PCD Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series ATS Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red		
Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series ATS Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Manufacturer Part Number	ATSC4R
Package - Series ATS Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Manufacturer	Amphenol PCD
Package - Series ATS Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Category	Connectors, Interconnects
Series ATS Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red		Terminal Blocks - Din Rail, Channel
Type Disconnect Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Package	-
Disconnect Type Switch, Knife Number of Positions 2 Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features Color Red	Series	ATS
Number of Positions2Number of Levels1Terminal - Width6.0mmTermination StyleScrewCurrent - IEC16AVoltage - IEC800VCurrent - UL16AVoltage - UL600VWire Gauge or Range - AWG12-22 AWGWire Gauge or Range - mm²0.5-1.5mm²Features-ColorRed	Туре	Disconnect
Number of Levels 1 Terminal - Width 6.0mm Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Disconnect Type	Switch, Knife
Terminal - Width Termination Style Screw Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - Color Red	Number of Positions	2
Termination Style Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - Color Red	Number of Levels	1
Current - IEC 16A Voltage - IEC 800V Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Color Red	Terminal - Width	6.0mm
Voltage - IEC800VCurrent - UL16AVoltage - UL600VWire Gauge or Range - AWG12-22 AWGWire Gauge or Range - mm²0.5-1.5mm²Features-ColorRed	Termination Style	Screw
Current - UL 16A Voltage - UL 600V Wire Gauge or Range - AWG 12-22 AWG Wire Gauge or Range - mm² 0.5-1.5mm² Features - Red	Current - IEC	16A
Voltage - UL600VWire Gauge or Range - AWG12-22 AWGWire Gauge or Range - mm²0.5-1.5mm²Features-ColorRed	Voltage - IEC	800V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² O.5-1.5mm² Features Color Red	Current - UL	16A
Wire Gauge or Range - mm² Features Color Red 0.5-1.5mm² - Red	Voltage - UL	600V
Features - Color Red	Wire Gauge or Range - AWG	12-22 AWG
Color Red	Wire Gauge or Range - mm ²	0.5-1.5mm ²
	Features	-
Report errors?	Color	Red
		Report errors?

ATSC4R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ATSC4R Payment Methods



















ATSC4R Shipping Methods













If you have any question about ATSC4R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com