

# B32653A2472K189

#### B32653A2472K189 Information

	Part Number	B32653A2472K189
	Manufacturer	EPCOS (TDK)
	Category	Capacitors Film Capacitors
	Description	CAP FILM 4700PF 10% 2KVDC RADIAL
	Package	Radial
		For the pricing/inventory/lead time, please contact
For Reference Only		us Website: https://www.heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## B32653A2472K189 Specifications

Manufacturer Part NumberB32653A2472K189ManufacturerEPCOS (TDK)CategoryCapacitorsFilm CapacitorsFilm CapacitorsPackageRadialSeriesB32653Capacitance4700pFTolerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HoleSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins		
CategoryCapacitorsFilm CapacitorsPackageRadialPackageRadialSeriesB32653Capacitance4700pFTolerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric Material-SR (Equivalent Series Resistance)-Operating Temperature55°C ~ 100°CMounting TypeRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Manufacturer Part Number	B32653A2472K189
Hin CapacitorsPackageRadialSeriesB32653Capacitance4700pFTolerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Manufacturer	EPCOS (TDK)
PackageRadialSeriesB32653Capacitance4700pFTolerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Category	Capacitors
Series B32653   Capacitance 4700pF   Tolerance ±10%   Voltage Rating - AC 700V   Voltage Rating - DC 2000V (2kV)   Dielectric Material Polypropylene (PP), Metallized   ESR (Equivalent Series Resistance) -   Operating Temperature -55°C ~ 100°C   Mounting Type Through Hole   Size / Dimension 1.043" L x 0.236" W (26.50mm x 6.00mm)   Height - Seated (Max) 0.591" (15.00mm)		Film Capacitors
Capacitance4700pFColerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolyproplene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-S5°C ~ 100°CMounting TypeRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)FerminationPC Pins	Package	Radial
Tolerance±10%Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)FerminationPC Pins	Series	B32653
Voltage Rating - AC700VVoltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Capacitance	4700pF
Voltage Rating - DC2000V (2kV)Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)PerminationPC Pins	Tolerance	±10%
Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Voltage Rating - AC	700V
ESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Voltage Rating - DC	2000V (2kV)
Operating Temperature-55°C ~ 100°CMounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Dielectric Material	Polypropylene (PP), Metallized
Nounting TypeThrough HolePackage / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	ESR (Equivalent Series Resistance)	-
Package / CaseRadialSize / Dimension1.043" L x 0.236" W (26.50mm x 6.00mm)Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Operating Temperature	-55°C ~ 100°C
Size / Dimension 1.043" L x 0.236" W (26.50mm x 6.00mm)   Height - Seated (Max) 0.591" (15.00mm)   Termination PC Pins	Mounting Type	Through Hole
Height - Seated (Max)0.591" (15.00mm)TerminationPC Pins	Package / Case	Radial
Termination PC Pins	Size / Dimension	1.043" L x 0.236" W (26.50mm x 6.00mm)
	Height - Seated (Max)	0.591" (15.00mm)
$\mathbf{L} = \mathbf{L} \left\{ \mathbf{L} = \mathbf{L} \left\{ \mathbf{L} \right\} \right\}$	Termination	PC Pins
Lead Spacing 0.886 (22.50mm)	Lead Spacing	0.886" (22.50mm)
Applications DC Link, DC Filtering; High Pulse, DV/DT	Applications	DC Link, DC Filtering; High Pulse, DV/DT
Features -	Features	-
Report errors?		Report errors?

E-mail: salesdept@heisener.com

### B32653A2472K189 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### B32653A2472K189 Payment Methods





If you have any question about B32653A2472K189, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com