



B58600D8010A001 Information

Heisener.com

Part Number B58600D8010A001 Manufacturer EPCOS (TDK)

Category Sensors, Transducers

Pressure Sensors, Transducers

Description PRESSURE SENSOR ELEMENT AEA 40.0

Package Die

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









B58600D8010A001 Specifications

Manufacturer Part Number B58600D8010A001 Manufacturer EPCOS (TDK) Category Sensors, Transducers Package Die Series C28 Pressure Type Absolute Operating Pressure - Output Type Wheatstone Bridge Output 0 mV ~ 120 mV (5V) Accuracy ±2% Voltage - Supply 1 V ~ 5 V Port Size - Port Style No Port Features - Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa) Operating Temperature 40°C ~ 135°C		
CategorySensors, TransducersPackageDieSeriesC28Pressure TypeAbsoluteOperating Pressure-Output TypeWheatstone BridgeOutput0 mV ~ 120 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure43.51 PSI (300 kPa)	Manufacturer Part Number	B58600D8010A001
PackageDieSeriesC28Pressure TypeAbsoluteOperating Pressure-Output TypeWheatstone BridgeOutput0 mV ~ 120 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure43.51 PSI (300 kPa)	Manufacturer	EPCOS (TDK)
PackageDieSeriesC28Pressure TypeAbsoluteOperating Pressure-Output TypeWheatstone BridgeOutput0 mV ~ 120 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure43.51 PSI (300 kPa)	Category	Sensors, Transducers
SeriesC28Pressure TypeAbsoluteOperating Pressure-Output TypeWheatstone BridgeOutput0 mV ~ 120 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure43.51 PSI (300 kPa)		Pressure Sensors, Transducers
Pressure Type Absolute Operating Pressure - Output Type Wheatstone Bridge Output 0 mV ~ 120 mV (5V) Accuracy ±2% Voltage - Supply 1 V ~ 5 V Port Size - Port Style No Port Features - Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa)	Package	Die
Operating Pressure Output Type Wheatstone Bridge Output Output OmV ~ 120 mV (5V) Accuracy ±2% Voltage - Supply I V ~ 5 V Port Size - Port Style No Port Features - Termination Style Maximum Pressure - 43.51 PSI (300 kPa)	Series	C28
Output TypeWheatstone BridgeOutput0 mV ~ 120 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure43.51 PSI (300 kPa)	Pressure Type	Absolute
Output $0 \text{ mV} \sim 120 \text{ mV} (5\text{V})$ Accuracy $\pm 2\%$ Voltage - Supply $1 \text{ V} \sim 5 \text{ V}$ Port Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure $43.51 \text{ PSI } (300 \text{ kPa})$	Operating Pressure	-
Accuracy $\pm 2\%$ Voltage - Supply $1 \text{ V} \sim 5 \text{ V}$ Port Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure $43.51 \text{ PSI } (300 \text{ kPa})$	Output Type	Wheatstone Bridge
Voltage - Supply Port Size Port Style No Port Features - Termination Style Maximum Pressure 1 V ~ 5 V No Port Solder Pad 43.51 PSI (300 kPa)	Output	$0 \text{ mV} \sim 120 \text{ mV} (5\text{V})$
Port Size - Port Style No Port Features - Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa)	Accuracy	±2%
Port Style No Port Features - Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa)	Voltage - Supply	1 V ~ 5 V
Features - Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa)	Port Size	-
Termination Style Solder Pad Maximum Pressure 43.51 PSI (300 kPa)	Port Style	No Port
Maximum Pressure 43.51 PSI (300 kPa)	Features	-
	Termination Style	Solder Pad
Operating Temperature -40°C ~ 135°C	Maximum Pressure	43.51 PSI (300 kPa)
operating reinperature	Operating Temperature	-40°C ~ 135°C
Package / Case Die	Package / Case	Die
Supplier Device Package -	Supplier Device Package	-
Report errors?		Report errors?

B58600D8010A001 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

B58600D8010A001 Payment Methods



















B58600D8010A001 Shipping Methods













If you have any question about B58600D8010A001, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com