



### B58600E0410A023 Information

Heisener.com

Part Number B58600E0410A023 Manufacturer EPCOS (TDK)

Category Sensors, Transducers

Pressure Sensors, Transducers

**Description** PRESSURE SENSOR AEA 10.00 C29/1

Package Die

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## B58600E0410A023 Specifications

Manufacturer Part Number       B58600E0410A023         Manufacturer       EPCOS (TDK)         Category       Sensors, Transducers         Package       Die         Series       C29         Pressure Type       Absolute         Operating Pressure       145.04 PSI (1000 kPa)         Output Type       Wheatstone Bridge         Output       0 mV ~ 130 mV (5V)         Accuracy       ±2%         Voltage - Supply       1 V ~ 5 V         Port Size       -         Port Style       No Port         Features       -         Termination Style       Solder Pad         Maximum Pressure       36.26 PSI (250 kPa)         Operating Temperature       -40°C ~ 135°C         Package / Case       Die         Supplier Device Package       Die		
Category         Sensors, Transducers           Package         Die           Series         C29           Pressure Type         Absolute           Operating Pressure         145.04 PSI (1000 kPa)           Output Type         Wheatstone Bridge           Output         0 mV ~ 130 mV (5V)           Accuracy         ±2%           Voltage - Supply         1 V ~ 5 V           Port Size         -           Port Style         No Port           Features         -           Termination Style         Solder Pad           Maximum Pressure         36.26 PSI (250 kPa)           Operating Temperature         -40°C ~ 135°C           Package / Case         Die           Supplier Device Package         Die	Manufacturer Part Number	B58600E0410A023
Pressure Sensors, Transducers           Package         Die           Series         C29           Pressure Type         Absolute           Operating Pressure         145.04 PSI (1000 kPa)           Output Type         Wheatstone Bridge           Output         0 mV ~ 130 mV (5V)           Accuracy         ±2%           Voltage - Supply         1 V ~ 5 V           Port Size         -           Port Style         No Port           Features         -           Termination Style         Solder Pad           Maximum Pressure         36.26 PSI (250 kPa)           Operating Temperature         -40°C ~ 135°C           Package / Case         Die           Supplier Device Package         Die	Manufacturer	EPCOS (TDK)
Package         Die           Series         C29           Pressure Type         Absolute           Operating Pressure         145.04 PSI (1000 kPa)           Output Type         Wheatstone Bridge           Output         0 mV ~ 130 mV (5V)           Accuracy         ±2%           Voltage - Supply         1 V ~ 5 V           Port Size         -           Port Style         No Port           Features         -           Termination Style         Solder Pad           Maximum Pressure         36.26 PSI (250 kPa)           Operating Temperature         -40°C ~ 135°C           Package / Case         Die           Supplier Device Package         Die	Category	Sensors, Transducers
Series         C29           Pressure Type         Absolute           Operating Pressure         145.04 PSI (1000 kPa)           Output Type         Wheatstone Bridge           Output         0 mV ~ 130 mV (5V)           Accuracy         ±2%           Voltage - Supply         1 V ~ 5 V           Port Size         -           Port Style         No Port           Features         -           Termination Style         Solder Pad           Maximum Pressure         36.26 PSI (250 kPa)           Operating Temperature         -40°C ~ 135°C           Package / Case         Die           Supplier Device Package         Die		Pressure Sensors, Transducers
Pressure TypeAbsoluteOperating Pressure145.04 PSI (1000 kPa)Output TypeWheatstone BridgeOutput0 mV ~ 130 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure36.26 PSI (250 kPa)Operating Temperature-40°C ~ 135°CPackage / CaseDieSupplier Device PackageDie	Package	Die
Operating Pressure 145.04 PSI (1000 kPa)  Output Type Wheatstone Bridge  Output 0 mV ~ 130 mV (5V)  Accuracy ±2%  Voltage - Supply 1 V ~ 5 V  Port Size -  Port Style No Port  Features -  Termination Style Solder Pad  Maximum Pressure 36.26 PSI (250 kPa)  Operating Temperature -40°C ~ 135°C  Package / Case Die  Supplier Device Package	Series	C29
Output TypeWheatstone BridgeOutput0 mV ~ 130 mV (5V)Accuracy±2%Voltage - Supply1 V ~ 5 VPort Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure36.26 PSI (250 kPa)Operating Temperature-40°C ~ 135°CPackage / CaseDieSupplier Device PackageDie	Pressure Type	Absolute
Output $0 \text{ mV} \sim 130 \text{ mV} (5\text{V})$ Accuracy $\pm 2\%$ Voltage - Supply $1 \text{ V} \sim 5 \text{ V}$ Port Size-Port StyleNo PortFeatures-Termination StyleSolder PadMaximum Pressure $36.26 \text{ PSI} (250 \text{ kPa})$ Operating Temperature $-40^{\circ}\text{C} \sim 135^{\circ}\text{C}$ Package / CaseDieSupplier Device PackageDie	Operating Pressure	145.04 PSI (1000 kPa)
Accuracy ±2%  Voltage - Supply 1 V ~ 5 V  Port Size -  Port Style No Port  Features -  Termination Style Solder Pad  Maximum Pressure 36.26 PSI (250 kPa)  Operating Temperature -40°C ~ 135°C  Package / Case Die  Supplier Device Package	Output Type	Wheatstone Bridge
Voltage - Supply  Port Size  Port Style  No Port  Features  -  Termination Style  Maximum Pressure  36.26 PSI (250 kPa)  Operating Temperature  -40°C ~ 135°C  Package / Case  Die  Supplier Device Package	Output	$0 \text{ mV} \sim 130 \text{ mV} (5\text{V})$
Port Size - No Port Features - Termination Style Solder Pad Maximum Pressure 36.26 PSI (250 kPa) Operating Temperature -40°C ~ 135°C Package / Case Die Supplier Device Package Die	Accuracy	±2%
Port Style No Port  Features -  Termination Style Solder Pad  Maximum Pressure 36.26 PSI (250 kPa)  Operating Temperature -40°C ~ 135°C  Package / Case Die  Supplier Device Package Die	Voltage - Supply	1 V ~ 5 V
Features - Termination Style Solder Pad  Maximum Pressure 36.26 PSI (250 kPa)  Operating Temperature -40°C ~ 135°C  Package / Case Die  Supplier Device Package Die	Port Size	-
Termination Style Solder Pad  Maximum Pressure 36.26 PSI (250 kPa)  Operating Temperature -40°C ~ 135°C  Package / Case Die  Supplier Device Package Die	Port Style	No Port
Maximum Pressure36.26 PSI (250 kPa)Operating Temperature-40°C ~ 135°CPackage / CaseDieSupplier Device PackageDie	Features	-
Operating Temperature-40°C ~ 135°CPackage / CaseDieSupplier Device PackageDie	Termination Style	Solder Pad
Package / Case Die Supplier Device Package Die	Maximum Pressure	36.26 PSI (250 kPa)
Supplier Device Package Die	Operating Temperature	-40°C ~ 135°C
	Package / Case	Die
Report errors?	Supplier Device Package	Die
· · · · · · · · · · · · · · · · · · ·		Report errors?

### **B58600E0410A023 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### B58600E0410A023 Payment Methods



















# B58600E0410A023 Shipping Methods













If you have any question about B58600E0410A023, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com