



### **B58621K1510A069 Information**

Heisener.com

Part Number B58621K1510A069 Manufacturer EPCOS (TDK)

Category Sensors, Transducers

Pressure Sensors, Transducers

**Description** PRESSURE SENSOR ACR 25.00 KC V4

Package 8-DIP Module

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## B58621K1510A069 Specifications

Manufacturer Part Number         B58621K1510A069           Manufacturer         EPCOS (TDK)           Category         Sensors, Transducers           Package         8-DIP Module           Series         AC-T           Pressure Type         Vented Gauge           Operating Pressure         362.59 PSI (2500 kPa)           Output Type         Analog Voltage           Output         0.5 V ~ 4.5 V           Accuracy         ±2%           Voltage - Supply         4.75 V ~ 5.5 V           Port Size         Male - M5           Port Style         Threaded           Features         Temperature Compensated           Termination Style         Solder Pad           Maximum Pressure         543.89 PSI (3750 kPa)           Operating Temperature         -25°C ~ 85°C           Package / Case         8-DIP Module           Supplier Device Package         -		
CategorySensors, TransducersPackage8-DIP ModuleSeriesAC-TPressure TypeVented GaugeOperating Pressure362.59 PSI (2500 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±2%Voltage - Supply4.75 V ~ 5.5 VPort SizeMale - M5Port StyleThreadedFeaturesTemperature CompensatedTermination StyleSolder PadMaximum Pressure543.89 PSI (3750 kPa)Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-	Manufacturer Part Number	B58621K1510A069
Package 8-DIP Module Series AC-T Pressure Type Vented Gauge Operating Pressure Operating Pressure Output Type Analog Voltage Output Output Quity	Manufacturer	EPCOS (TDK)
Package         8-DIP Module           Series         AC-T           Pressure Type         Vented Gauge           Operating Pressure         362.59 PSI (2500 kPa)           Output Type         Analog Voltage           Output         0.5 V ~ 4.5 V           Accuracy         ±2%           Voltage - Supply         4.75 V ~ 5.5 V           Port Size         Male - M5           Port Style         Threaded           Features         Temperature Compensated           Termination Style         Solder Pad           Maximum Pressure         543.89 PSI (3750 kPa)           Operating Temperature         -25°C ~ 85°C           Package / Case         8-DIP Module           Supplier Device Package         -	Category	Sensors, Transducers
SeriesAC-TPressure TypeVented GaugeOperating Pressure362.59 PSI (2500 kPa)Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±2%Voltage - Supply4.75 V ~ 5.5 VPort SizeMale - M5Port StyleThreadedFeaturesTemperature CompensatedTermination StyleSolder PadMaximum Pressure543.89 PSI (3750 kPa)Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-		Pressure Sensors, Transducers
Pressure Type Vented Gauge Operating Pressure 362.59 PSI (2500 kPa) Output Type Analog Voltage Output 0.5 V ~ 4.5 V Accuracy ±2% Voltage - Supply 4.75 V ~ 5.5 V Port Size Male - M5 Port Style Threaded Features Temperature Compensated Termination Style Solder Pad Maximum Pressure 543.89 PSI (3750 kPa) Operating Temperature -25°C ~ 85°C Package / Case 8-DIP Module Supplier Device Package	Package	8-DIP Module
Operating Pressure Output Type Analog Voltage Output Outpu	Series	AC-T
Output TypeAnalog VoltageOutput0.5 V ~ 4.5 VAccuracy±2%Voltage - Supply4.75 V ~ 5.5 VPort SizeMale - M5Port StyleThreadedFeaturesTemperature CompensatedTermination StyleSolder PadMaximum Pressure543.89 PSI (3750 kPa)Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-	Pressure Type	Vented Gauge
Output  Accuracy  ±2%  Voltage - Supply  4.75 V ~ 5.5 V  Port Size  Male - M5  Port Style  Threaded  Features  Temperature Compensated  Termination Style  Maximum Pressure  Solder Pad  Maximum Pressure  543.89 PSI (3750 kPa)  Operating Temperature  -25°C ~ 85°C  Package / Case  8-DIP Module  Supplier Device Package	Operating Pressure	362.59 PSI (2500 kPa)
Accuracy ±2%  Voltage - Supply 4.75 V ~ 5.5 V  Port Size Male - M5  Port Style Threaded  Features Temperature Compensated  Termination Style Solder Pad  Maximum Pressure 543.89 PSI (3750 kPa)  Operating Temperature -25°C ~ 85°C  Package / Case 8-DIP Module  Supplier Device Package	Output Type	Analog Voltage
Voltage - Supply  4.75 V ~ 5.5 V  Port Size  Male - M5  Port Style  Threaded  Features  Temperature Compensated  Termination Style  Solder Pad  Maximum Pressure  543.89 PSI (3750 kPa)  Operating Temperature  -25°C ~ 85°C  Package / Case  8-DIP Module  Supplier Device Package	Output	0.5 V ~ 4.5 V
Port Size Male - M5  Port Style Threaded  Features Temperature Compensated  Termination Style Solder Pad  Maximum Pressure 543.89 PSI (3750 kPa)  Operating Temperature -25°C ~ 85°C  Package / Case 8-DIP Module  Supplier Device Package -	Accuracy	±2%
Port Style Features Temperature Compensated Termination Style Solder Pad Maximum Pressure 543.89 PSI (3750 kPa) Operating Temperature -25°C ~ 85°C Package / Case 8-DIP Module Supplier Device Package	Voltage - Supply	4.75 V ~ 5.5 V
FeaturesTemperature CompensatedTermination StyleSolder PadMaximum Pressure543.89 PSI (3750 kPa)Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-	Port Size	Male - M5
Termination Style  Solder Pad  Maximum Pressure  543.89 PSI (3750 kPa)  Operating Temperature  -25°C ~ 85°C  Package / Case  8-DIP Module  Supplier Device Package	Port Style	Threaded
Maximum Pressure543.89 PSI (3750 kPa)Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-	Features	Temperature Compensated
Operating Temperature-25°C ~ 85°CPackage / Case8-DIP ModuleSupplier Device Package-	Termination Style	Solder Pad
Package / Case 8-DIP Module Supplier Device Package -	Maximum Pressure	543.89 PSI (3750 kPa)
Supplier Device Package -	Operating Temperature	-25°C ~ 85°C
	Package / Case	8-DIP Module
Report errors?	Supplier Device Package	-
		Report errors?

#### **B58621K1510A069** Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## B58621K1510A069 Payment Methods



















### B58621K1510A069 Shipping Methods













If you have any question about B58621K1510A069, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com