



BA11601R00KE Information

Heisener.com

Part Number BA11601R00KE

Manufacturer Ohmite Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 1 OHM 10% 500W

Package Radial, Rectangular Case

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only E-mail: salesdept@heisener.com





Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









BA11601R00KE Specifications

Manufacturer Part NumberBA11601R00KEManufacturerOhmiteCategoryResistorsPackageRadial, Rectangular CaseSeriesBAResistance1 OhmsTolerance±10%Power (Watts)500WCompositionWirewoundTemperature Coefficient-Operating Temperature-55°C ~ 385°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension6.299" L x 3.740" W (160.00mm x 95.00mm)Height - Seated (Max)1.181" (30.00mm)Lead StyleWire LeadsPackage / CaseRadial, Rectangular CaseFailure Rate-Report errors?		
CategoryResistorsPackageRadial, Rectangular CaseSeriesBAResistance1 OhmsTolerance±10%Power (Watts)500WCompositionWirewoundTemperature Coefficient-Operating Temperature-55°C ~ 385°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension6.299" L x 3.740" W (160.00mm x 95.00mm)Height - Seated (Max)1.181" (30.00mm)Lead StyleWire LeadsPackage / CaseRadial, Rectangular CaseFailure Rate-	Manufacturer Part Number	BA11601R00KE
Chassis Mount Resistors Package Radial, Rectangular Case Series BA Resistance 1 Ohms Tolerance ±10% Power (Watts) 500W Composition Wirewound Temperature Coefficient Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate	Manufacturer	Ohmite
PackageRadial, Rectangular CaseSeriesBAResistance1 OhmsTolerance±10%Power (Watts)500WCompositionWirewoundTemperature Coefficient-Operating Temperature-55°C ~ 385°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension6.299" L x 3.740" W (160.00mm x 95.00mm)Height - Seated (Max)1.181" (30.00mm)Lead StyleWire LeadsPackage / CaseRadial, Rectangular CaseFailure Rate-	Category	Resistors
SeriesBAResistance1 OhmsTolerance±10%Power (Watts)500WCompositionWirewoundTemperature Coefficient-Operating Temperature-55°C ~ 385°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension6.299" L x 3.740" W (160.00mm x 95.00mm)Height - Seated (Max)1.181" (30.00mm)Lead StyleWire LeadsPackage / CaseRadial, Rectangular CaseFailure Rate-		Chassis Mount Resistors
Resistance 1 Ohms Tolerance ±10% Power (Watts) 500W Composition Wirewound Temperature Coefficient - Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Package	Radial, Rectangular Case
Tolerance ±10% Power (Watts) 500W Composition Wirewound Temperature Coefficient - Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Series	BA
Power (Watts) Composition Wirewound Temperature Coefficient Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Resistance	1 Ohms
Composition Wirewound Temperature Coefficient - Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Tolerance	±10%
Temperature Coefficient Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Power (Watts)	500W
Operating Temperature -55°C ~ 385°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Temperature Coefficient	-
Coating, Housing Type Mounting Feature Flanges Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Operating Temperature	-55°C ~ 385°C
Mounting Feature Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Package / Case Radial, Rectangular Case Failure Rate -	Features	-
Size / Dimension 6.299" L x 3.740" W (160.00mm x 95.00mm) Height - Seated (Max) 1.181" (30.00mm) Lead Style Wire Leads Package / Case Radial, Rectangular Case Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Radial, Rectangular Case Failure Rate 1.181" (30.00mm) Wire Leads Radial, Rectangular Case	Mounting Feature	Flanges
Lead StyleWire LeadsPackage / CaseRadial, Rectangular CaseFailure Rate-	Size / Dimension	6.299" L x 3.740" W (160.00mm x 95.00mm)
Package / Case Radial, Rectangular Case Failure Rate -	Height - Seated (Max)	1.181" (30.00mm)
Failure Rate -	Lead Style	Wire Leads
	Package / Case	Radial, Rectangular Case
Report errors?	Failure Rate	-
		Report errors?

BA11601R00KE Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

BA11601R00KE Payment Methods



















BA11601R00KE Shipping Methods













If you have any question about BA11601R00KE, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com