

BA8391G-TR

quest a Quote

BA8391G-TR Information

LL- Par	Part Number	BA8391G-TR
	Manufacturer	Rohm Semiconductor
	Category	Integrated Circuits (ICs) Linear - Comparators
	Description	IC COMPARATOR OPEN 5-SSOP
	Package	SC-74A, SOT-753
		For the pricing/inventory/lead time, please contact us
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



BA8391G-TR Specifications

ManufacturerRohm SemiconductorCategoryIntegrated Circuits (ICs)PackageSC-74A, SOT-753SeriesSC-74A, SOT-753Spries-TypeGeneral PurposeNumber of Elements1Output Type-Voltage - Supply, Single/Dual (±)2V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)250A @ 5VCurrent - Input Bias (Max)200 ACurrent - Output (Typ)16mA @ 5VCurrent - Quigscent (Max)-Popagation Delay (Max)-Popagation Delay (Max)-Annow-Popagation Delay (Max)-Operating Temperature-Package / CaseSC-74A, SOT-753Mounting TypeSurface Mount	-	
Category Integrated Circuits (ICs) Linear - Comparators Package SC-74A, SOT-753 Series - Type General Purpose Number of Elements 1 Output Type - Voltage - Supply, Single/Dual (±) 2V ~ 36 V, ±1 V ~ 18 V Voltage - Input Offset (Max) 7mV @ 5V Current - Input Bias (Max) 250nA @ 5V Current - Quigecent (Max) 700µA Current - Quigescent (Max) - Propagation Delay (Max) - Propagation Delay (Max) - Propagation Temperature - Package / Case SC-74A, SOT-753 Mounting Type Surface Mount	Manufacturer Part Number	BA8391G-TR
Linear - ComparatorsPackageSC-74A, SOT-753Series-TypeGeneral PurposeNumber of Elements1Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Operating Temperature-Package / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Manufacturer	Rohm Semiconductor
PackageSC-74A, SOT-753Series-TypeGeneral PurposeNumber of Elements1Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Operating Temperature-Operating Temperature-Package / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Category	Integrated Circuits (ICs)
Series-TypeGeneral PurposeNumber of Elements1Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7m V @ 5 VCurrent - Input Bias (Max)250nA @ 5 VCurrent - Output (Typ)16mA @ 5 VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Operating Temperature-Package / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP		Linear - Comparators
TypeGeneral PurposeNumber of Elements1Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting Type5-SSOP	Package	SC-74A, SOT-753
Number of Elements1Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Operating Temperature-Operating TemperatureSc 74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Series	-
Output Type-Output Type-Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Туре	General Purpose
Voltage - Supply, Single/Dual (±)2 V ~ 36 V, ±1 V ~ 18 VVoltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700µACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSc-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Number of Elements	1
Voltage - Input Offset (Max)7mV @ 5VCurrent - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700μACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSurface MountMounting TypeSurface MountSupplier Device Package5-SSOP	Output Type	-
Current - Input Bias (Max)250nA @ 5VCurrent - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700μACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Voltage - Supply, Single/Dual (±)	2 V ~ 36 V, ±1 V ~ 18 V
Current - Output (Typ)16mA @ 5VCurrent - Quiescent (Max)700μACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Voltage - Input Offset (Max)	7mV @ 5V
Current - Quiescent (Max)700μACMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Current - Input Bias (Max)	250nA @ 5V
CMRR, PSRR (Typ)-Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Current - Output (Typ)	16mA @ 5V
Propagation Delay (Max)-Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Current - Quiescent (Max)	700μΑ
Hysteresis-Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	CMRR, PSRR (Typ)	-
Operating Temperature-40°C ~ 85°CPackage / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Propagation Delay (Max)	-
Package / CaseSC-74A, SOT-753Mounting TypeSurface MountSupplier Device Package5-SSOP	Hysteresis	-
Mounting TypeSurface MountSupplier Device Package5-SSOP	Operating Temperature	-40°C ~ 85°C
Supplier Device Package 5-SSOP	Package / Case	SC-74A, SOT-753
	Mounting Type	Surface Mount
Report errors?	Supplier Device Package	5-SSOP
		Report errors?

BA8391G-TR Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

BA8391G-TR Payment Methods



BA8391G-TR Shipping Methods



If you have any question about BA8391G-TR, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com