

BACC63BV22F19S8

BACC63BV22F19S8 Information

Heisener.com

Part Number BACC63BV22F19S8

Manufacturer Cinch Connectivity Solutions
Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT FMALE 19 POS GOLD CRMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









BACC63BV22F19S8 Specifications

Manufacturer Part Number BACC63BV22F19S8 Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series MIL-DTL-26500, BACC63 Connector Type Receptacle, Female Sockets Number of Positions 19 Shell Size - Insert 22-19 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26500, BACC63Connector TypeReceptacle, Female SocketsNumber of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer Part Number	BACC63BV22F19S8
Package-SeriesMIL-DTL-26500, BACC63Connector TypeReceptacle, Female SocketsNumber of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMIL-DTL-26500, BACC63Connector TypeReceptacle, Female SocketsNumber of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-26500, BACC63Connector TypeReceptacle, Female SocketsNumber of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Package	-
Number of Positions19Shell Size - Insert22-19Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Series	MIL-DTL-26500, BACC63
Shell Size - Insert Shell Size, MIL	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Features Shielded Voltage - Rated Current Rating - Current Rating - Carrent Sealed - Current Rating - Carrent Sealed - Current Sealed -	Number of Positions	19
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Shell Size - Insert	22-19
Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Mounting Type	Panel Mount, Flange
Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated Current Rating	Orientation	8
Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features Shielded Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum, Cadmium Plated
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	Shielded
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

BACC63BV22F19S8 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

BACC63BV22F19S8 Payment Methods



















BACC63BV22F19S8 Shipping Methods













If you have any question about BACC63BV22F19S8, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com