

# BFC241761005

## **BFC241761005 Information**

Heisener.com	 BFC241761005 Vishay BC Components Capacitors Film Capacitors CAP FILM 1UF 5% 160VDC RADIAL Radial For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# **BFC241761005** Specifications

Manufacturer Part NumberBFC241761005Manufacturer Part NumberVishay BC ComponentsCategoryCapacitorsCategoryFilm CapacitorsPackageRadialPackageMKP417Capacitance-Tolerance-Voltage Rating - AC-Dielectric MaterialPolyproplene (PP), MetallizedDielectric Material-Package-Mounting Type-Mounting Type-
CategoryCapacitorsFlin CapacitorsPackageRadialPackageRadialSeriesMKP417Capacitance-Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating TypeFlore Strice StriceMounting TypeThrough Hole
Film CapacitorsPackageRadialSeriesMKP417Capacitance-Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
PackageRadialPackageMKP417Capacitance-Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Tuppe-55°C ~ 85°CMounting TypeForug Hole
SeriesMKP417Capacitance-Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Capacitance-Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Tolerance-Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Voltage Rating - AC-Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Voltage Rating - DC-Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Dielectric MaterialPolypropylene (PP), MetallizedESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
ESR (Equivalent Series Resistance)-Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Operating Temperature-55°C ~ 85°CMounting TypeThrough Hole
Mounting Type Through Hole
Package / Case Radial
Size / Dimension 0.283" L x 0.236" W (7.20mm x 6.00mm)
Height - Seated (Max) 0.433" (11.00mm)
Termination PC Pins
Lead Spacing 0.197" (5.00mm)
Applications High Frequency, Switching
Features Long Life
Report errors

### BFC241761005 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **BFC241761005** Payment Methods



# **BFC241761005** Shipping Methods



If you have any question about BFC241761005, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com