

# BV030-7589.0 Information

Heisener.com

Part Number BV030-7589.0

Manufacturer Pulse Electronics Power

Category Transformers

**Power Transformers** 

**Description** XFRMR LAMINATED 2.8VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **BV030-7589.0 Specifications**

Manufacturer Part Number         BV030-7589.0           Manufacturer         Pulse Electronics Power           Category         Transformers           Package         -           Series         -           Type         Laminated Core           Voltage - Primary         230V           Voltage - Secondary (Full Load)         24V           Current - Output (Max)         116mA           Primary Winding(s)         Single           Secondary Winding(s)         Single           Center Tap         No           Power - Max         2.8 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         32.50mm L x 27.50mm W           Height - Seated (Max)         34.00mm           Voltage - Isolation         -           Weight         0.133 lb (60.33g)		
Category         Transformers           Package         -           Series         -           Type         Laminated Core           Voltage - Primary         230V           Voltage - Secondary (Full Load)         24V           Current - Output (Max)         116mA           Primary Winding(s)         Single           Secondary Winding(s)         Single           Center Tap         No           Power - Max         2.8 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         32.50mm L x 27.50mm W           Height - Seated (Max)         34.00mm           Voltage - Isolation         -           Weight         0.133 lb (60.33g)	Manufacturer Part Number	BV030-7589.0
Package         Power Transformers           Series         -           Type         Laminated Core           Voltage - Primary         230V           Voltage - Secondary (Full Load)         24V           Current - Output (Max)         116mA           Primary Winding(s)         Single           Secondary Winding(s)         Single           Center Tap         No           Power - Max         2.8 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         32.50mm L x 27.50mm W           Height - Seated (Max)         34.00mm           Voltage - Isolation         -           Weight         0.133 lb (60.33g)	Manufacturer	Pulse Electronics Power
Package         -           Series         -           Type         Laminated Core           Voltage - Primary         230V           Voltage - Secondary (Full Load)         24V           Current - Output (Max)         116mA           Primary Winding(s)         Single           Secondary Winding(s)         Single           Center Tap         No           Power - Max         2.8 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         32.50mm L x 27.50mm W           Height - Seated (Max)         34.00mm           Voltage - Isolation         -           Weight         0.133 lb (60.33g)	Category	Transformers
Series         -           Type         Laminated Core           Voltage - Primary         230V           Voltage - Secondary (Full Load)         24V           Current - Output (Max)         116mA           Primary Winding(s)         Single           Secondary Winding(s)         Single           Center Tap         No           Power - Max         2.8 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         32.50mm L x 27.50mm W           Height - Seated (Max)         34.00mm           Voltage - Isolation         -           Weight         0.133 lb (60.33g)		Power Transformers
Type Laminated Core  Voltage - Primary 230V  Voltage - Secondary (Full Load) 24V  Current - Output (Max) 116mA  Primary Winding(s) Single  Secondary Winding(s) Single  Center Tap No  Power - Max 2.8 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 32.50mm L x 27.50mm W  Height - Seated (Max) 34.00mm  Voltage - Isolation -  Weight 0.133 lb (60.33g)	Package	-
Voltage - Primary       230V         Voltage - Secondary (Full Load)       24V         Current - Output (Max)       116mA         Primary Winding(s)       Single         Secondary Winding(s)       Single         Center Tap       No         Power - Max       2.8 VA         Mounting Type       Through Hole         Termination Style       PC Pin         Size / Dimension       32.50mm L x 27.50mm W         Height - Seated (Max)       34.00mm         Voltage - Isolation       -         Weight       0.133 lb (60.33g)	Series	-
Voltage - Secondary (Full Load)  Current - Output (Max)  Primary Winding(s)  Single  Secondary Winding(s)  Single  Center Tap  No  Power - Max  Aunuary Style  Through Hole  Termination Style  Size / Dimension  Height - Seated (Max)  Voltage - Isolation  Voltage - Isolation  Weight  116mA  116mA  116mA  116mA  116mA  No  Single  No  Poper  No  Poper  No  2.8 VA  Poper  Through Hole  PC Pin  32.50mm L x 27.50mm W  34.00mm  Voltage - Isolation  -  0.133 lb (60.33g)	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Secondary Winding(s) Single Center Tap No Power - Max 2.8 VA Mounting Type Through Hole Termination Style Size / Dimension Size / Dimension Voltage - Isolation Voltage - Isolation Vinding Common Single Single No Power No Power No Single No Power No Single Single No Single N	Voltage - Primary	230V
Primary Winding(s) Secondary Winding(s) Single Center Tap No Power - Max 2.8 VA Mounting Type Through Hole Termination Style Size / Dimension Size / Dimension Height - Seated (Max) Voltage - Isolation Veight Single Single No PO No 1.8 VA 1.	Voltage - Secondary (Full Load)	24V
Secondary Winding(s)SingleCenter TapNoPower - Max2.8 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension32.50mm L x 27.50mm WHeight - Seated (Max)34.00mmVoltage - Isolation-Weight0.133 lb (60.33g)	Current - Output (Max)	116mA
Center Tap No  Power - Max 2.8 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 32.50mm L x 27.50mm W  Height - Seated (Max) 34.00mm  Voltage - Isolation -  Weight 0.133 lb (60.33g)	Primary Winding(s)	Single
Power - Max  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  32.50mm L x 27.50mm W  Height - Seated (Max)  Voltage - Isolation  Veight  2.8 VA  Through Hole  PC Pin  32.50mm L x 27.50mm W  34.00mm  - United the seated (Max)  0.133 lb (60.33g)	Secondary Winding(s)	Single
Mounting Type Through Hole PC Pin Size / Dimension 32.50mm L x 27.50mm W Height - Seated (Max) Voltage - Isolation - Weight O.133 lb (60.33g)	Center Tap	No
Termination Style PC Pin Size / Dimension 32.50mm L x 27.50mm W Height - Seated (Max) 34.00mm  Voltage - Isolation - Weight 0.133 lb (60.33g)	Power - Max	2.8 VA
Size / Dimension  32.50mm L x 27.50mm W  Height - Seated (Max)  Voltage - Isolation  -  Weight  0.133 lb (60.33g)	Mounting Type	Through Hole
Height - Seated (Max)  Voltage - Isolation  Weight  34.00mm  -  0.133 lb (60.33g)	Termination Style	PC Pin
Voltage - Isolation - Weight 0.133 lb (60.33g)	Size / Dimension	32.50mm L x 27.50mm W
Weight 0.133 lb (60.33g)	Height - Seated (Max)	34.00mm
	Voltage - Isolation	-
Report errors?	Weight	0.133 lb (60.33g)
		Report errors?

#### BV030-7589.0 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **BV030-7589.0 Payment Methods**



















## **BV030-7589.0** Shipping Methods













If you have any question about BV030-7589.0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com