

BV030-7734.0 Information

Heisener.com

Part Number BV030-7734.0

Manufacturer Pulse Electronics Power

Category Transformers

Power Transformers

Description XFRMR LAMINATED 2.8VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









BV030-7734.0 Specifications

Manufacturer Part NumberBV030-7734.0ManufacturerPulse Electronics PowerCategoryTransformersPower TransformersPower TransformersPackage-Series-TypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 24V, Series 48VCurrent - Output (Max)Parallel 116mA, Series 58mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNo		
Category Transformers Power Transformers Package - Series - Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Secondary Winding(s) Dual	Manufacturer Part Number	BV030-7734.0
Package - Series - Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual	Manufacturer	Pulse Electronics Power
Package - Series - Laminated Core Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual	Category	Transformers
Series - Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual		Power Transformers
Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Parallel 24V, Series 48V Current - Output (Max) Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual	Series	-
Voltage - Secondary (Full Load) Current - Output (Max) Parallel 24V, Series 48V Parallel 116mA, Series 58mA Primary Winding(s) Dual Secondary Winding(s) Dual	Type	Laminated Core
Current - Output (Max) Primary Winding(s) Pual Secondary Winding(s) Dual Dual	Voltage - Primary	115V, 230V
Primary Winding(s) Secondary Winding(s) Dual Dual	Voltage - Secondary (Full Load)	Parallel 24V, Series 48V
Secondary Winding(s) Dual	Current - Output (Max)	Parallel 116mA, Series 58mA
	Primary Winding(s)	Dual
Center Tap No	Secondary Winding(s)	Dual
1	Center Tap	No
Power - Max 2.8 VA	Power - Max	2.8 VA
Mounting Type Through Hole	Mounting Type	Through Hole
Termination Style PC Pin	Termination Style	PC Pin
Size / Dimension 32.50mm L x 27.50mm W	Size / Dimension	32.50mm L x 27.50mm W
Height - Seated (Max) 34.00mm	Height - Seated (Max)	34.00mm
Voltage - Isolation -	Voltage - Isolation	-
Weight 0.133 lb (60.33g)	Weight	0.133 lb (60.33g)
Report errors?		Report errors?

BV030-7734.0 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

BV030-7734.0 Payment Methods



















BV030-7734.0 Shipping Methods













If you have any question about BV030-7734.0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com