

C08G10 Information

www.helsener.com

For Reference Only

Part Number C08G10 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CRTRDGE 10A 400VAC NON STD

Package Cartridge, Non-Standard

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









C08G10 Specifications

Manufacturer Part Number C08G10 Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Cartridge, Non-Standard Series C08G Fuse Type Cartridge Current Rating 10A Voltage Rating - AC 400V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 20kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)		
CategoryCircuit ProtectionPackageCartridge, Non-StandardSeriesC08GFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC400VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage20kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Manufacturer Part Number	C08G10
PackageCartridge, Non-StandardSeriesC08GFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC400VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage20kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Manufacturer	Eaton
Package Cartridge, Non-Standard Series C08G Fuse Type Cartridge Current Rating 10A Voltage Rating - AC 400V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 20kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Category	Circuit Protection
SeriesC08GFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC400VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage20kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension0.315" Dia x 1.240" L (8.00mm x 31.50mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating10AVoltage Rating - AC400VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage20kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Package	Cartridge, Non-Standard
Current Rating 10A Voltage Rating - AC 400V Voltage Rating - DC	Series	C08G
Voltage Rating - AC Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension 400V 400V 400V 400V 400V 400V 400V - 400V	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension - Cass Carridge, Non-Standard O.315" Dia x 1.240" L (8.00mm x 31.50mm)	Current Rating	10A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension - Clectrical, Industrial - Clectrical, Industrial - Clectrical, Industrial - Clettrical, Industrial - Clettr	Voltage Rating - AC	400V
Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 20kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Voltage Rating - DC	-
Features - Class - Approvals - Coperating Temperature - Streaking Capacity @ Rated Voltage 20kA Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Response Time	-
Class - Approvals - Coperating Temperature - Coperating Capacity @ Rated Voltage 20kA - Cortridge, Non-Standard - Cortridg	Applications	Electrical, Industrial
Approvals Operating Temperature	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension O.315" Dia x 1.240" L (8.00mm x 31.50mm)	Class	-
Breaking Capacity @ Rated Voltage 20kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Approvals	-
Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Operating Temperature	-
Package / Case Cartridge, Non-Standard Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Breaking Capacity @ Rated Voltage	20kA
Size / Dimension 0.315" Dia x 1.240" L (8.00mm x 31.50mm)	Mounting Type	Holder
	Package / Case	Cartridge, Non-Standard
Report errors?	Size / Dimension	0.315" Dia x 1.240" L (8.00mm x 31.50mm)
		Report errors?

C08G10 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

C08G10 Payment Methods





















C08G10 Shipping Methods













If you have any question about C08G10, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com