



C0909A10-05S9-202 Information

Heisener.com

Part Number C0909A10-05S9-202

Manufacturer Cinch Connectivity Solutions
Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG FMALE 5POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









C0909A10-05S9-202 Specifications

Manufacturer Part Number C0909A10-05S9-202 Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series MIL-DTL-26500, C0909A Connector Type Plug, Female Sockets Number of Positions 5 Shell Size - Insert 10-5 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26500, C0909AConnector TypePlug, Female SocketsNumber of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer Part Number	C0909A10-05S9-202
PackageCircular ConnectorsSeriesMIL-DTL-26500, C0909AConnector TypePlug, Female SocketsNumber of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMIL-DTL-26500, C0909AConnector TypePlug, Female SocketsNumber of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-26500, C0909AConnector TypePlug, Female SocketsNumber of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-		Circular Connectors
Connector TypePlug, Female SocketsNumber of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Package	-
Number of Positions5Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Series	MIL-DTL-26500, C0909A
Shell Size - Insert10-5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Connector Type	Plug, Female Sockets
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating - Current Rating	Number of Positions	5
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientation9Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Shell Size - Insert	10-5
Termination Crimp Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Bayonet Lock Orientation 9 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating	Mounting Type	Free Hanging (In-Line)
Orientation 9 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating - Aluminum, Anodized	Orientation	9
Contact Finish Gold Features - Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features - Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum, Anodized
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

C0909A10-05S9-202 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

C0909A10-05S9-202 Payment Methods



















C0909A10-05S9-202 Shipping Methods













If you have any question about C0909A10-05S9-202, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com