



### C091 61G004 110 2 Information

Heisener.com

**Part Number** C091 61G004 110 2

Manufacturer Amphenol Sine Systems Corp

Category Connectors, Interconnects

Circular Connectors

Circular Connectors

**Description** CONN RCPT 4POS PANEL MNT TH SKT

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **C091 61G004 110 2 Specifications**

Manufacturer Part Number     C091 61G004 110 2       Manufacturer     Amphenol Sine Systems Corp       Category     Connectors, Interconnects       Package     -       Series     C 091 D       Connector Type     Receptacle, Female Sockets       Number of Positions     4       Shell Size - Insert     DIN (210 Degree)       Shell Size, MIL     -       Mounting Type     Panel Mount, Through Hole       Termination     Solder       Fastening Type     Threaded       Orientation     Keyed       Ingress Protection     IP65/67 - Dust Tight, Water Resistant, Waterproof       Shell Material, Finish     Die Cast, Nickel Plated       Contact Finish     Silver       Features     Shielded       Voltage - Rated     300V       Current Rating     5A		
Category Connectors, Interconnects Circular Connectors  Package - Series C 091 D  Connector Type Receptacle, Female Sockets  Number of Positions 4 Shell Size - Insert DIN (210 Degree) Shell Size, MIL - Mounting Type Panel Mount, Through Hole Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection P65/67 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated Outpert Rating S A	Manufacturer Part Number	C091 61G004 110 2
Package-SeriesC 091 DConnector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertDIN (210 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP65/67 - Dust Tight, Water Resistant, WaterproofShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Manufacturer	Amphenol Sine Systems Corp
Package-SeriesC 091 DConnector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertDIN (210 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP65/67 - Dust Tight, Water Resistant, WaterproofShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Category	Connectors, Interconnects
SeriesC 091 DConnector TypeReceptacle, Female SocketsNumber of Positions4Shell Size - InsertDIN (210 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP65/67 - Dust Tight, Water Resistant, WaterproofShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A		Circular Connectors
Connector Type Receptacle, Female Sockets  Number of Positions 4  Shell Size - Insert DIN (210 Degree)  Shell Size, MIL -  Mounting Type Panel Mount, Through Hole  Termination Solder  Fastening Type Threaded  Orientation Keyed  Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof  Shell Material, Finish Die Cast, Nickel Plated  Contact Finish Silver  Features Shielded  Voltage - Rated 300V  Current Rating 5A	Package	-
Number of Positions4Shell Size - InsertDIN (210 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP65/67 - Dust Tight, Water Resistant, WaterproofShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Series	C 091 D
Shell Size - Insert  Shell Size, MIL  Mounting Type  Panel Mount, Through Hole  Termination  Solder  Fastening Type  Threaded  Orientation  Keyed  Ingress Protection  IP65/67 - Dust Tight, Water Resistant, Waterproof  Shell Material, Finish  Die Cast, Nickel Plated  Contact Finish  Silver  Features  Shielded  Voltage - Rated  300V  Current Rating  5A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL  Mounting Type Panel Mount, Through Hole  Termination Solder  Fastening Type Threaded  Orientation Keyed  Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof  Shell Material, Finish Die Cast, Nickel Plated  Contact Finish Silver  Features Shielded  Voltage - Rated 300V  Current Rating 5A	Number of Positions	4
Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP65/67 - Dust Tight, Water Resistant, WaterproofShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Shell Size - Insert	DIN (210 Degree)
Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A	Shell Size, MIL	-
Fastening Type Threaded Orientation Keyed Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A	Mounting Type	Panel Mount, Through Hole
Orientation Keyed Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A	Termination	Solder
Ingress Protection IP65/67 - Dust Tight, Water Resistant, Waterproof Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A	Fastening Type	Threaded
Shell Material, Finish  Contact Finish  Silver  Features  Shielded  Voltage - Rated  Current Rating  Die Cast, Nickel Plated  Silver  Shielded  5A	Orientation	Keyed
Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A	Ingress Protection	IP65/67 - Dust Tight, Water Resistant, Waterproof
Features Shielded  Voltage - Rated 300V  Current Rating 5A	Shell Material, Finish	Die Cast, Nickel Plated
Voltage - Rated 300V Current Rating 5A	Contact Finish	Silver
Current Rating 5A	Features	Shielded
	Voltage - Rated	300V
Report errors?	Current Rating	5A
I I		Report errors?

### C091 61G004 110 2 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **C091 61G004 110 2 Payment Methods**



















## **C091 61G004 110 2 Shipping Methods**













If you have any question about C091 61G004 110 2, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com