



C48-06R14-7P10-402 Information

Heisener.com

Part Number C48-06R14-7P10-402

Manufacturer Cinch Connectivity Solutions
Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG MALE 7POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









C48-06R14-7P10-402 Specifications

Manufacturer Part Number C48-06R14-7P10-402 Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series MIL-DTL-26500, C48 Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert 14-7 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation 10 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26500, C48Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer Part Number	C48-06R14-7P10-402
PackageCircular ConnectorsSeriesMIL-DTL-26500, C48Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMIL-DTL-26500, C48Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-26500, C48Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Package	-
Number of Positions7Shell Size - Insert14-7Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Series	MIL-DTL-26500, C48
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Threaded Orientation Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated Current Rating 14-7 Free Hanging (In-Line) Crimp Free Hanging (In-Line) Crimp Aluminum Gold Gold - Contact Finish Gold - Current Rating	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Threaded Orientation Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features Voltage - Rated Current Rating	Number of Positions	7
Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientation10Ingress ProtectionEnvironment SealedShell Material, FinishAluminum, AnodizedContact FinishGoldFeatures-Voltage - Rated-Current Rating-	Shell Size - Insert	14-7
Termination Crimp Fastening Type Threaded Orientation 10 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Threaded Orientation 10 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Current Rating - Current Rating	Mounting Type	Free Hanging (In-Line)
Orientation 10 Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Aluminum, Anodized Contact Finish Gold Features - Current Rating - Current Rating	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating - Aluminum, Anodized	Orientation	10
Contact Finish Gold Features - Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features - Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum, Anodized
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

C48-06R14-7P10-402 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

C48-06R14-7P10-402 Payment Methods





















C48-06R14-7P10-402 Shipping Methods













If you have any question about C48-06R14-7P10-402, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com