



CDRH104NP-100MC Information



For Reference Only

Part Number CDRH104NP-100MC

Manufacturer Sumida America Components Inc.

Category Inductors, Coils, Chokes

Fixed Inductors

Description FIXED IND 10UH 2.4A 50 MOHM SMD

Package Nonstandard

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CDRH104NP-100MC Specifications

Manufacturer Sumida America Components Inc. Category Inductors, Coils, Chokes Fixed Inductors Package Nonstandard Series CDRH104 Type - Material - Core - Inductance 10μH Tolerance ±20% Current Rating 2.4A Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 100°C Frequency - Test 1kHz	Manufacturer Part Number	CDRH104NP-100MC
Fixed Inductors	Manufacturer	Sumida America Components Inc.
Package Nonstandard Series CDRH104 Type - Material - Core - Inductance 10μH Tolerance ±20% Current Rating 2.4A Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 100°C	Category	Inductors, Coils, Chokes
Series CDRH104 Type - Material - Core - Inductance 10µH Tolerance ±20% Current Rating 2.4A Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 100°C		Fixed Inductors
Type - Material - Core - Inductance 10μH Tolerance ±20% Current Rating 2.4A Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 100°C	Package	Nonstandard
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Series	CDRH104
Inductance $10\mu H$ Tolerance $\pm 20\%$ Current Rating $2.4A$ Current - Saturation-ShieldingShieldedDC Resistance (DCR) 50 mOhm Max Q @ Freq-Frequency - Self Resonant-Ratings-Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Туре	-
Tolerance $\pm 20\%$ Current Rating 2.4A Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature $\pm 20\%$	Material - Core	-
Current Rating Current - Saturation Shielding DC Resistance (DCR) Frequency - Self Resonant Ratings Operating Temperature 2.4A	Inductance	10μΗ
Current - Saturation - Shielding Shielded DC Resistance (DCR) 50 mOhm Max Q @ Freq - Frequency - Self Resonant - Ratings - Operating Temperature -40°C ~ 100°C	Tolerance	±20%
ShieldingShieldedDC Resistance (DCR) 50 mOhm Max Q @ Freq-Frequency - Self Resonant-Ratings-Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Current Rating	2.4A
DC Resistance (DCR) 50 mOhm Max Q @ Freq-Frequency - Self Resonant-Ratings-Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Current - Saturation	-
Q @ Freq - Frequency - Self Resonant - Ratings - Qoperating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Shielding	Shielded
Frequency - Self Resonant - Ratings - Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	DC Resistance (DCR)	50 mOhm Max
Ratings - Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Q @ Freq	-
Operating Temperature $-40^{\circ}\text{C} \sim 100^{\circ}\text{C}$	Frequency - Self Resonant	-
	Ratings	-
Frequency - Test 1kHz	Operating Temperature	-40°C ~ 100°C
	Frequency - Test	1kHz
Features -	Features	-
Mounting Type Surface Mount	Mounting Type	Surface Mount
Package / Case Nonstandard	Package / Case	Nonstandard
Supplier Device Package -	Supplier Device Package	-
Size / Dimension 0.386" L x 0.350" W (9.80mm x 8.90mm)	Size / Dimension	0.386" L x 0.350" W (9.80mm x 8.90mm)

Height - Seated (Max) 0.197" (5.00mm) Report errors?

CDRH104NP-100MC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CDRH104NP-100MC Payment Methods





















CDRH104NP-100MC Shipping Methods













If you have any question about CDRH104NP-100MC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com