

### **CEO50 Information**

Heisener.com

Part Number CEO50

Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description**FUSE 50AMP 500V AC BS88 GG**Package**Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **CEO50 Specifications**

Manufacturer Part NumberCEO50ManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesCEOFuse TypeCartridgeCurrent Rating50AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCEOperating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.827" Dia x 2.303" L (21.00mm x 58.50mm)		
Category  Circuit Protection Electrical, Specialty Fuses  Package Cylindrical, Blade Terminal (Bolt) Series CEO  Fuse Type Cartridge Current Rating SoA Voltage Rating - AC Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals CE Operating Temperature Breaking Capacity @ Rated Voltage Bolt Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Circuit Protection Electrical, Specialty Fuses Electrinal, Industrial Features - CE Operating Temperature Bolt Features CE Cylindrical, Blade Terminal (Bolt) Size / Dimension  Circuit Protection Electrical, Specialty Fuses Sevanta Soba CE CE Coperating Temperature Soba Soba Soba Size / Dimension  Circuit Protection Size / Dimension  CE Cartridge Cart	Manufacturer Part Number	CEO50
Backage Cylindrical, Blade Terminal (Bolt) Series CEO Fuse Type Cartridge Current Rating 50A Voltage Rating - AC 550V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals CE Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension (SEO)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesCEOFuse TypeCartridgeCurrent Rating50AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCEOperating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Category	Circuit Protection
SeriesCEOFuse TypeCartridgeCurrent Rating50AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCEOperating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.827" Dia x 2.303" L (21.00mm x 58.50mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating50AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCEOperating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating  Voltage Rating - AC  550V  Voltage Rating - DC  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  500  500  500  500  - CE  500  500  500  500  500  500  500	Series	CEO
Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  CE  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  550V  550V  5600  - CR  CR  CP  CP  CB  CE  CYIndrical, Blade Terminal (Bolt)  O.827" Dia x 2.303" L (21.00mm x 58.50mm)	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  - Class  - Approvals  CE  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  -  0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Current Rating	50A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - CE Class CE Cylindrical, Blade Terminal (Bolt) O.827" Dia x 2.303" L (21.00mm x 58.50mm)	Voltage Rating - AC	550V
Applications Electrical, Industrial  Features - Class - Approvals CE Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Voltage Rating - DC	-
Features - Class - CE  Approvals CE  Operating Temperature - Sok A  Breaking Capacity @ Rated Voltage 80kA  Mounting Type Bolt  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Response Time	-
Class - CE Operating Temperature - Seraking Capacity @ Rated Voltage 80kA Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Applications	Electrical, Industrial
Approvals  CE  Operating Temperature  - Breaking Capacity @ Rated Voltage  80kA  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  80kA  Mounting Type  Bolt  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Class	-
Breaking Capacity @ Rated Voltage 80kA  Mounting Type Bolt  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Approvals	CE
Mounting Type  Bolt Package / Case  Cylindrical, Blade Terminal (Bolt) Size / Dimension  0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Breaking Capacity @ Rated Voltage	80kA
Size / Dimension 0.827" Dia x 2.303" L (21.00mm x 58.50mm)	Mounting Type	Bolt
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.827" Dia x 2.303" L (21.00mm x 58.50mm)
		Report errors?

#### **CEO50 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **CEO50 Payment Methods**





















## **CEO50 Shipping Methods**













If you have any question about CEO50, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com