



### **CF14JA51K0 Information**

Part Number CF14JA51K0

Manufacturer Stackpole Electronics Inc.

**Category** Resistors

**Through Hole Resistors** 

**Description** RES 51K OHM 1/4W 5% AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **CF14JA51K0 Specifications**

Manufacturer Part Number  Manufacturer  Stackpole Electronics Inc.  Resistors  Through Hole Resistors  Package  Axial  Series  CF  Resistance  51 kOhms  Tolerance  ±5%  Power (Watts)  Composition  Features  Flame Retardant Coating, Safety  Temperature Coefficient  Operating Temperature  -55°C ~ 155°C  Package / Case  Axial  Supplier Device Package  Size / Dimension  Height - Seated (Max)  Number of Terminations  2  Failure Rate			
Category  Resistors  Through Hole Resistors  Package Axial  Series CF Resistance 51 kOhms  Tolerance ±5% Power (Watts) Composition Carbon Film Features Flame Retardant Coating, Safety  Temperature Coefficient 0/-500ppm/°C Operating Temperature -55°C ~ 155°C  Package / Case Axial Supplier Device Package Size / Dimension Height - Seated (Max) Number of Terminations 2 Failure Rate  Axial	Manufacturer Part Number	CF14JA51K0	
Through Hole Resistors  Package Axial  Series CF Resistance 51 kOhms Tolerance ±5% Power (Watts) 0.25W, 1/4W Composition Carbon Film Features Flame Retardant Coating, Safety  Temperature Coefficient 0/ -500ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Manufacturer	Stackpole Electronics Inc.	
Package         Axial           Series         CF           Resistance         51 kOhms           Tolerance         ±5%           Power (Watts)         0.25W, 1/4W           Composition         Carbon Film           Features         Flame Retardant Coating, Safety           Temperature Coefficient         0/ -500ppm/°C           Operating Temperature         -55°C ~ 155°C           Package / Case         Axial           Supplier Device Package         Axial           Size / Dimension         0.091" Dia x 0.236" L (2.30mm x 6.00mm)           Height - Seated (Max)         -           Number of Terminations         2           Failure Rate         -	Category	Resistors	
Series         CF           Resistance         51 kOhms           Tolerance         ±5%           Power (Watts)         0.25W, 1/4W           Composition         Carbon Film           Features         Flame Retardant Coating, Safety           Temperature Coefficient         0/ -500ppm/°C           Operating Temperature         -55°C ~ 155°C           Package / Case         Axial           Supplier Device Package         Axial           Size / Dimension         0.091" Dia x 0.236" L (2.30mm x 6.00mm)           Height - Seated (Max)         -           Number of Terminations         2           Failure Rate         -		Through Hole Resistors	
Resistance 51 kOhms Tolerance ±5% Power (Watts) 0.25W, 1/4W Composition Carbon Film Features Flame Retardant Coating, Safety Temperature Coefficient 0/-500ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Package	Axial	
Tolerance ±5%  Power (Watts) 0.25W, 1/4W  Composition Carbon Film  Features Flame Retardant Coating, Safety  Temperature Coefficient 0/-500ppm/°C  Operating Temperature -55°C ~ 155°C  Package / Case Axial  Supplier Device Package Axial  Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max) -  Number of Terminations 2  Failure Rate -	Series	CF	
Power (Watts)  Composition  Carbon Film  Features  Flame Retardant Coating, Safety  Temperature Coefficient  O/ -500ppm/°C  Operating Temperature  -55°C ~ 155°C  Package / Case  Axial  Supplier Device Package  Axial  Size / Dimension  O.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max)  Number of Terminations  2  Failure Rate  -	Resistance	51 kOhms	
Composition  Carbon Film  Features  Flame Retardant Coating, Safety  Temperature Coefficient  O/ -500ppm/°C  Operating Temperature  -55°C ~ 155°C  Package / Case  Axial  Supplier Device Package  Axial  Size / Dimension  O.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max)  Number of Terminations  2  Failure Rate  -	Tolerance	±5%	
Features  Flame Retardant Coating, Safety  Temperature Coefficient  O/ -500ppm/°C  Operating Temperature  -55°C ~ 155°C  Package / Case  Axial  Supplier Device Package  Axial  Size / Dimension  0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max)  Number of Terminations  2  Failure Rate  -	Power (Watts)	0.25W, 1/4W	
Temperature Coefficient 0/ -500ppm/°C  Operating Temperature -55°C ~ 155°C  Package / Case Axial  Supplier Device Package Axial  Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max) -  Number of Terminations 2  Failure Rate -	Composition	Carbon Film	
Operating Temperature  -55°C ~ 155°C  Package / Case  Axial  Supplier Device Package  Axial  Size / Dimension  0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max)  Number of Terminations  2  Failure Rate  -	Features	Flame Retardant Coating, Safety	
Package / Case Axial Supplier Device Package Axial Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm) Height - Seated (Max) - Number of Terminations 2 Failure Rate -	Temperature Coefficient	0/ -500ppm/°C	
Supplier Device Package Axial  Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max) - Number of Terminations 2  Failure Rate -	Operating Temperature	-55°C ~ 155°C	
Size / Dimension 0.091" Dia x 0.236" L (2.30mm x 6.00mm)  Height - Seated (Max) -  Number of Terminations 2  Failure Rate -	Package / Case	Axial	
Height - Seated (Max)  Number of Terminations  2  Failure Rate  -	Supplier Device Package	Axial	
Number of Terminations 2 Failure Rate -	Size / Dimension	0.091" Dia x 0.236" L (2.30mm x 6.00mm)	
Failure Rate -	Height - Seated (Max)	-	
	Number of Terminations	2	
	Failure Rate	-	
Report errors?			Report errors?

### CF14JA51K0 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **CF14JA51K0 Payment Methods**



















### **CF14JA51K0 Shipping Methods**













If you have any question about CF14JA51K0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com