

CGL-300 Information

Heisener.com

Part Number CGL-300
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

DescriptionLIMITRON FAST ACTING FUSEPackageCylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CGL-300 Specifications

Manufacturer Part Number CGL-300 Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series Tron? CGL Fuse Type Cartridge Current Rating 300A Voltage Rating - AC 600V Voltage Rating - DC - Response Time - Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesTron? CGLFuse TypeCartridgeCurrent Rating300AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Manufacturer Part Number	CGL-300
Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series Tron? CGL Fuse Type Cartridge Current Rating 300A Voltage Rating - AC Voltage Rating - DC Response Time - Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Specialty Fuses Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Specialty Fuses Captronical, Blade Terminal (Bolt) Size / Dimension Electrical, Specialty Fuses Specialty Fuses Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Specialty Fuses Special Fuses Speci	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesTron? CGLFuse TypeCartridgeCurrent Rating300AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Category	Circuit Protection
SeriesTron? CGLFuse TypeCartridgeCurrent Rating300AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension2.380" Dia x 3.000" L (60.33mm x 76.20mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 300A Voltage Rating - AC 600V Voltage Rating - DC	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 600V Voltage Rating - DC Response Time - Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension Size / Dimension Size / Dimension Size / Dimension Size /	Series	Tron? CGL
Voltage Rating - AC Voltage Rating - DC Response Time - Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 600V 6	Fuse Type	Cartridge
Voltage Rating - DC Response Time Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - - Size / Dimension - C Coloration Transformer Protection CC CC COLORATION COLORATION COLORATION - COLORATION COLORATION COLORATION - COLORATION	Current Rating	300A
Response Time - Motor Protection, Transformer Protection Features - Class C C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Voltage Rating - AC	600V
Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Voltage Rating - DC	-
Features - Class C C Approvals CE, CSA Operating Temperature - Estadou C CE, CSA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Response Time	-
Class CE, CSA Operating Temperature -Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension CE, CSA CE,	Applications	Motor Protection, Transformer Protection
Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension CE, CSA CUSA CUSA CE, CSA CUSA CUS	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Class	С
Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Approvals	CE, CSA
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 2.380" Dia x 3.000" L (60.33mm x 76.20mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	2.380" Dia x 3.000" L (60.33mm x 76.20mm)
		Report errors?

CGL-300 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CGL-300 Payment Methods



















CGL-300 Shipping Methods













If you have any question about CGL-300, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com