

### **CGL-80 Information**

Heisener.com

Part Number CGL-80
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

DescriptionLIMITRON FAST ACTING FUSEPackageCylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **CGL-80 Specifications**

Manufacturer Part Number         CGL-80           Manufacturer         Eaton           Category         Circuit Protection           Electrical, Specialty Fuses           Package         Cylindrical, Blade Terminal (Bolt)           Series         Tron? CGL           Fuse Type         Cartridge           Current Rating         80A           Voltage Rating - AC         600V           Voltage Rating - DC         -           Response Time         -           Applications         Motor Protection, Transformer Protection           Features         -           Class         C           Approvals         CE, CSA           Operating Temperature         -           Breaking Capacity @ Rated Voltage         -           Mounting Type         Bolt Mount           Package / Case         Cylindrical, Blade Terminal (Bolt)           Size / Dimension         1.340" Dia x 2.391" L (34.04mm x 60.72mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesTron? CGLFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Manufacturer Part Number	CGL-80
PackageElectrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesTron? CGLFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesTron? CGLFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Category	Circuit Protection
SeriesTron? CGLFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC600VVoltage Rating - DC-Response Time-ApplicationsMotor Protection, Transformer ProtectionFeatures-ClassCApprovalsCE, CSAOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.340" Dia x 2.391" L (34.04mm x 60.72mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 80A  Voltage Rating - AC 600V  Voltage Rating - DC	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating  Voltage Rating - AC  600V  Voltage Rating - DC  Response Time  - Applications  Motor Protection, Transformer Protection  Features  - Class  C  Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  80A  80A  80A  80A  80A  80A  80A  80	Series	Tron? CGL
Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Motor Protection, Transformer Protection  Features  - Class  C Approvals  CE, CSA  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  600V  6	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Motor Protection, Transformer Protection  Features  - Class  C Approvals  CE, CSA  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  -  1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Current Rating	80A
Response Time - Applications Motor Protection, Transformer Protection Features - Class C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Voltage Rating - AC	600V
Applications Motor Protection, Transformer Protection  Features - Class C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Voltage Rating - DC	-
Features - Class C C Approvals CE, CSA Operating Temperature - Estadous Capacity @ Rated Voltage - Bolt Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Response Time	-
Class C C Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Applications	Motor Protection, Transformer Protection
Approvals CE, CSA Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Class	С
Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Approvals	CE, CSA
Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 1.340" Dia x 2.391" L (34.04mm x 60.72mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	1.340" Dia x 2.391" L (34.04mm x 60.72mm)
		Report errors?

### **CGL-80 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **CGL-80 Payment Methods**



















### **CGL-80 Shipping Methods**













If you have any question about CGL-80, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com