



Heisener.com

CIR06-24-2PWF80T108 Information

Part Number CIR06-24-2PWF80T108

Manufacturer ITT Cannon, LLC

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG 7POS STRGHT PIN

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CIR06-24-2PWF80T108 Specifications

Manufacturer Part Number CIR06-24-2PWF80T108 Manufacturer ITT Cannon, LLC Category Connectors, Interconnects Package - Series MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert 24-2 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A		
Category Circular Connectors Package Package Package Plug, Male Pins Number of Positions Package Package Plug, Male Pins Plug, Male Pins Package Pack	Manufacturer Part Number	CIR06-24-2PWF80T108
Circular Connectors Package - MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert 24-2 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Woltage - Rated 900VAC, 1250VDC Current Rating 25 August A	Manufacturer	ITT Cannon, LLC
Package-SeriesMIL-DTL-5015, CIRConnector TypePlug, Male PinsNumber of Positions7Shell Size - Insert24-2Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationWIngress Protection-Shell Material, FinishAluminum Alloy, Black Zinc Cobalt PlatedContact FinishSilverFeatures-Voltage - Rated900VAC, 1250VDCCurrent Rating23A	Category	Connectors, Interconnects
SeriesMIL-DTL-5015, CIRConnector TypePlug, Male PinsNumber of Positions7Shell Size - Insert24-2Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationWIngress Protection-Shell Material, FinishAluminum Alloy, Black Zinc Cobalt PlatedContact FinishSilverFeatures-Voltage - Rated900VAC, 1250VDCCurrent Rating23A		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions7Shell Size - Insert24-2Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationWIngress Protection-Shell Material, FinishAluminum Alloy, Black Zinc Cobalt PlatedContact FinishSilverFeatures-Voltage - Rated900VAC, 1250VDCCurrent Rating23A	Package	-
Number of Positions Shell Size - Insert 24-2 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Series	MIL-DTL-5015, CIR
Shell Size - Insert Shell Size, MIL - Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Number of Positions	7
Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Shell Size - Insert	24-2
Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Shell Size, MIL	-
Fastening Type Orientation W Ingress Protection Shell Material, Finish Contact Finish Contact Finish Features Voltage - Rated 900VAC, 1250VDC Current Rating Bayonet Lock W Oriental Lock W Aluminum Alloy, Black Zinc Cobalt Plated Silver - 23A	Mounting Type	Free Hanging (In-Line)
Orientation W Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Termination	Crimp
Ingress Protection - Shell Material, Finish Aluminum Alloy, Black Zinc Cobalt Plated Contact Finish Silver Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Silver Features Voltage - Rated Current Rating Aluminum Alloy, Black Zinc Cobalt Plated Silver - 200VAC, 1250VDC 23A	Orientation	W
Contact Finish Features Voltage - Rated Current Rating Silver - 23A	Ingress Protection	-
Features - Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Shell Material, Finish	Aluminum Alloy, Black Zinc Cobalt Plated
Voltage - Rated 900VAC, 1250VDC Current Rating 23A	Contact Finish	Silver
Current Rating 23A	Features	-
	Voltage - Rated	900VAC, 1250VDC
Report errors?	Current Rating	23A
		Report errors?

CIR06-24-2PWF80T108 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CIR06-24-2PWF80T108 Payment Methods



















CIR06-24-2PWF80T108 Shipping Methods













If you have any question about CIR06-24-2PWF80T108, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com