



Heisener.com

CIR06G2-36-3PW-F80 Information

Part Number CIR06G2-36-3PW-F80
Manufacturer ITT Cannon, LLC

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG 6POS STRGHT W/PINS

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CIR06G2-36-3PW-F80 Specifications

Manufacturer Part NumberCIR06G2-36-3PW-F80ManufacturerITT Cannon, LLCCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-5015, CIRConnector TypePlug, Male PinsNumber of Positions6Shell Size - Insert36-3Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeBayonet LockOrientationWIngress ProtectionEnvironment ProofShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilver
Category Connectors, Interconnects Circular Connectors Package - Series MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Circular Connectors Package - Series MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Package - MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Series MIL-DTL-5015, CIR Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Number of Positions 6 Shell Size - Insert 36-3 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Shell Material, Finish 36-3 Crimp Free Hanging (In-Line) W Aluminum Alloy, Olive Drab Cadmium Plated
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Shell Material, Finish Free Hanging (In-Line) Crimp Bayonet Lock W Aluminum Alloy, Olive Drab Cadmium Plated
Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Termination Crimp Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Fastening Type Bayonet Lock Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Orientation W Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Ingress Protection Environment Proof Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated
·
Contact Finish Silver
Features Coupling Nut, Shrink Boot Adapter
Voltage - Rated 900VAC, 1250VDC
Current Rating 23A, 150A
Report errors?

CIR06G2-36-3PW-F80 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CIR06G2-36-3PW-F80 Payment Methods



















CIR06G2-36-3PW-F80 Shipping Methods













If you have any question about CIR06G2-36-3PW-F80, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com