



CJT10001K8JJ Information

Heisener.com

Part Number CJT10001K8JJ

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 1.8K OHM 5% 1000W

Package Rectangular Case

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CJT10001K8JJ Specifications

Manufacturer Part NumberCJT10001K8JJManufacturerTE Connectivity Passive ProductCategoryResistorsPackageRectangular CaseSeriesCJT, CGSResistance1.8 kOhmsTolerance±5%Power (Watts)1000WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 1.969" W (400.00mm x 50.00mm)Height - Seated (Max)4.213" (107.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-Report errors?		
CategoryResistorsPackageRectangular CaseSeriesCJT, CGSResistance1.8 kOhmsTolerance±5%Power (Watts)1000WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 1.969" W (400.00mm x 50.00mm)Height - Seated (Max)4.213" (107.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Manufacturer Part Number	CJT10001K8JJ
Chassis Mount Resistors Package Rectangular Case Series CJT, CGS Resistance 1.8 kOhms Tolerance ±5% Power (Watts) 1000W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Manufacturer	TE Connectivity Passive Product
PackageRectangular CaseSeriesCJT, CGSResistance1.8 kOhmsTolerance±5%Power (Watts)1000WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 1.969" W (400.00mm x 50.00mm)Height - Seated (Max)4.213" (107.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Category	Resistors
Series CJT, CGS Resistance 1.8 kOhms Tolerance ±5% Power (Watts) 1000W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -		Chassis Mount Resistors
Resistance 1.8 kOhms Tolerance ±5% Power (Watts) 1000W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Package	Rectangular Case
Tolerance ±5% Power (Watts) 1000W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Series	CJT, CGS
Power (Watts) Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Resistance	1.8 kOhms
Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Tolerance	±5%
Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Power (Watts)	1000W
Operating Temperature Features Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Temperature Coefficient	±440ppm/°C
Coating, Housing Type Mounting Feature Flanges Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Operating Temperature	-
Mounting Feature Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Package / Case Rectangular Case Failure Rate Figure Rate	Features	-
Size / Dimension 15.748" L x 1.969" W (400.00mm x 50.00mm) Height - Seated (Max) 4.213" (107.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Failure Rate 4.213" (107.00mm) Wire Leads Rectangular Case -	Mounting Feature	Flanges
Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Size / Dimension	15.748" L x 1.969" W (400.00mm x 50.00mm)
Package / Case Rectangular Case Failure Rate -	Height - Seated (Max)	4.213" (107.00mm)
Failure Rate -	Lead Style	Wire Leads
	Package / Case	Rectangular Case
Report errors?	Failure Rate	-
		Report errors?

CJT10001K8JJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CJT10001K8JJ Payment Methods



















CJT10001K8JJ Shipping Methods













If you have any question about CJT10001K8JJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com