



CJT800390RJJ Information

Heisener.com

Part Number CJT800390RJJ

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 390 OHM 5% 800W

Package Rectangular Case

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CJT800390RJJ Specifications

Manufacturer Part Number CJT800390RJJ Manufacturer TE Connectivity Passive Product Category Resistors Package Rectangular Case Series CJT, CGS Resistance 390 Ohms Tolerance ±5% Power (Watts) 800W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -		
Category Resistors Package Rectangular Case Series CJT, CGS Resistance 390 Ohms Tolerance ±5% Power (Watts) 800W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Manufacturer Part Number	CJT800390RJJ
Chassis Mount Resistors Package Rectangular Case Series CJT, CGS Resistance 390 Ohms Tolerance ±5% Power (Watts) 800W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Manufacturer	TE Connectivity Passive Product
PackageRectangular CaseSeriesCJT, CGSResistance390 OhmsTolerance±5%Power (Watts)800WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 2.402" W (400.00mm x 61.00mm)Height - Seated (Max)2.323" (59.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Category	Resistors
SeriesCJT, CGSResistance390 OhmsTolerance±5%Power (Watts)800WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 2.402" W (400.00mm x 61.00mm)Height - Seated (Max)2.323" (59.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-		Chassis Mount Resistors
Resistance390 OhmsTolerance±5%Power (Watts)800WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-Features-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension15.748" L x 2.402" W (400.00mm x 61.00mm)Height - Seated (Max)2.323" (59.00mm)Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Package	Rectangular Case
Tolerance ±5% Power (Watts) 800W Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Series	CJT, CGS
Power (Watts) Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Resistance	390 Ohms
Composition Wirewound Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Tolerance	±5%
Temperature Coefficient ±440ppm/°C Operating Temperature - Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Power (Watts)	800W
Operating Temperature Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Temperature Coefficient	±440ppm/°C
Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Operating Temperature	-
Mounting Feature Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) Lead Style Package / Case Failure Rate Flanges Vire Leads Rectangular Case	Features	-
Size / Dimension 15.748" L x 2.402" W (400.00mm x 61.00mm) Height - Seated (Max) 2.323" (59.00mm) Lead Style Wire Leads Package / Case Rectangular Case Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Failure Rate 2.323" (59.00mm) Wire Leads Rectangular Case -	Mounting Feature	Flanges
Lead StyleWire LeadsPackage / CaseRectangular CaseFailure Rate-	Size / Dimension	15.748" L x 2.402" W (400.00mm x 61.00mm)
Package / Case Rectangular Case Failure Rate -	Height - Seated (Max)	2.323" (59.00mm)
Failure Rate -	Lead Style	Wire Leads
	Package / Case	Rectangular Case
Report errors?	Failure Rate	-
		Report errors?

CJT800390RJJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CJT800390RJJ Payment Methods


































If you have any question about CJT800390RJJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com