



CK1301-7R Information

Heisener.com

Part Number CK1301-7R

Manufacturer Bel Power Solutions

Category Power Supplies - External/Internal (Off-Board)

DC DC Converters

Description DC/DC CONVERT 12V 12A

Package Module

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CK1301-7R Specifications

Manufacturer Part NumberCK1301-7RManufacturerBel Power SolutionsCategoryPower Supplies - External/Internal (Off-Board)DC DC ConvertersPackageModuleSeriesMelcher KTypeIsolatedVoltage - Input (Min)28VVoltage - Input (Max)140VNumber of Outputs1Voltage - Output 112VVoltage - Output 2-Voltage - Output 3-Voltage - Output (Max)12APower (Watts)150W	
Category Power Supplies - External/Internal (Off-Board) DC DC Converters Package Module Series Melcher K Type Isolated Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Package Module Series Melcher K Type Isolated Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Package Module Series Melcher K Type Isolated Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Series Melcher K Type Isolated Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Type Isolated Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Input (Min) 28V Voltage - Input (Max) 140V Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Input (Max) Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 140V 12V 12V 12V 12V 12V 12V 12V 1	
Number of Outputs 1 Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 12A	
Voltage - Output 4 - Current - Output (Max) 12A	
Current - Output (Max) 12A	
Power (Watts) 150W	
Applications ITE (Commercial), Railway	
Operating Temperature $-25^{\circ}\text{C} \sim 71^{\circ}\text{C}$	
Efficiency 82%	
Mounting Type Chassis Mount	
Package / Case Module	
Size / Dimension 6.73" L x 4.37" W x 3.15" H (171.0mm x 111.0mm x 80.0mm)	
Rep	ort errors?

CK1301-7R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CK1301-7R Payment Methods





















CK1301-7R Shipping Methods













If you have any question about CK1301-7R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com