

**CKP2016R47M-T Information**


For Reference Only

**Part Number** [CKP2016R47M-T](#)  
**Manufacturer** Taiyo Yuden  
**Category** Inductors, Coils, Chokes  
[Fixed Inductors](#)  
**Description** FIXED IND 470NH 1.6A 75 MOHM SMD  
**Package** 0806 (2016 Metric)  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)



[Request a Quote](#)

**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**CKP2016R47M-T Specifications**

Manufacturer Part Number	<a href="#">CKP2016R47M-T</a>
Manufacturer	Taiyo Yuden
Category	Inductors, Coils, Chokes <a href="#">Fixed Inductors</a>
Package	0806 (2016 Metric)
Series	CK
Type	Multilayer
Material - Core	Ferrite
Inductance	470nH
Tolerance	±20%
Current Rating	1.6A
Current - Saturation	-
Shielding	Unshielded
DC Resistance (DCR)	75 mOhm Max
Q @ Freq	-
Frequency - Self Resonant	-
Ratings	-
Operating Temperature	-40°C ~ 85°C
Frequency - Test	1MHz
Features	-
Mounting Type	Surface Mount
Package / Case	0806 (2016 Metric)
Supplier Device Package	0806 (2016 Metric)
Size / Dimension	0.079" L x 0.063" W (2.00mm x 1.60mm)

Height - Seated (Max)

0.039" (1.00mm)

[Report errors?](#)

## CKP2016R47M-T Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## CKP2016R47M-T Payment Methods



## CKP2016R47M-T Shipping Methods



If you have any question about CKP2016R47M-T, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)