



CKR22CG470DP Information

Heisener.com

Part Number CKR22CG470DP Manufacturer AVX Corporation

Category Capacitors

Ceramic Capacitors

Description CAP CER 47PF 200V RADIAL

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CKR22CG470DP Specifications

Manufacturer Part NumberCKR22CG470DPManufacturerAVX CorporationCategoryCapacitorsPackage2-DIPSeriesMilitary, MIL-PRF-39014, CKR22Capacitance47pFTolerance±0.5pFVoltage - Rated200VTemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesMilitaryRatings-ApplicationsGeneral PurposeFailure RateP (0.1%)Mounting TypeThrough Hole
Category Capacitors Ceramic Capacitors Package 2-DIP Series Military, MIL-PRF-39014, CKR22 Capacitance 47pF Tolerance ±0.5pF Voltage - Rated 200V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Package2-DIPSeriesMilitary, MIL-PRF-39014, CKR22Capacitance47pFTolerance±0.5pFVoltage - Rated200VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeaturesMilitaryRatings-ApplicationsGeneral PurposeFailure RateP (0.1%)
Package 2-DIP Series Military, MIL-PRF-39014, CKR22 Capacitance 47pF Tolerance ±0.5pF Voltage - Rated 200V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Series Military, MIL-PRF-39014, CKR22 Capacitance 47pF Tolerance ±0.5pF Voltage - Rated 200V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Capacitance 47pF Tolerance ±0.5pF Voltage - Rated 200V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Tolerance $\pm 0.5 pF$ Voltage - Rated $200V$ Temperature Coefficient $C0G$, NP0 Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Features Military Ratings - Applications General Purpose Failure Rate $P(0.1\%)$
Voltage - Rated200VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeaturesMilitaryRatings-ApplicationsGeneral PurposeFailure RateP (0.1%)
Temperature Coefficient Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Operating Temperature -55°C ~ 125°C Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Features Military Ratings - Applications General Purpose Failure Rate P (0.1%)
Ratings - Applications General Purpose Failure Rate P (0.1%)
Applications General Purpose Failure Rate P (0.1%)
Failure Rate P (0.1%)
Mounting Type Through Hole
Package / Case 2-DIP
Size / Dimension 0.260" L x 0.092" W (6.60mm x 2.34mm)
Height - Seated (Max) 0.175" (4.45mm)
Thickness (Max) -
Lead Spacing 0.325" (8.25mm)
Lead Style -
Report errors?

CKR22CG470DP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CKR22CG470DP Payment Methods



















CKR22CG470DP Shipping Methods













If you have any question about CKR22CG470DP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com