

# CMF6533K200BEEB

## CMF6533K200BEEB Information

Heisener.com	Part Number	CMF6533K200BEEB	
	Manufacturer	Vishay Dale	E La Carlo de Carlo d
	Category	Resistors Through Hole Resistors	
	Description	RES 33.2K OHM 1.5W 0.1% AXIAL	- 792
	Package	Axial	一音段
		For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



t a Quote

# CMF6533K200BEEB Specifications

Manufacturer Part Number CMF6533K200BEEB   Manufacturer Vishay Dale   Category Resistors   Category Through Hole Resistors   Package Axial   Series CMF   Resistance 3.2 kOhms   Tolerance 40.1%   Power (Watts) 1.5W   Composition Metal Film   Features Flame Retardant Coating, Moisture Resistant, Safety   Operating Temperature -55°C ~ 175°C   Package / Case Axial   Size / Dimension 0.18° Dia x 0.562" L (4.57mm x 14.27mm)   Height - Seated (Max) -   Number of Terminations 2				
CategoryResidersThrough Hole ResistorsPackageAxialPackageCMFResistance33.2 kOhmsTolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-Failure Rate-	Manufacturer Part Number	CMF6533K200BEEB		
Through Hole ResistorsPackageAxialSeriesCMFResistance33.2 kOhmsTolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTolerance±25ppm/°COperating Temperature55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180° Dia x 0.562° L (4.57mm x 14.27mm)Height - Seated (Max)2Failure Rate-Failure Rate- <td>Manufacturer</td> <td>Vishay Dale</td> <td></td>	Manufacturer	Vishay Dale		
PackageAxialSeriesCMFResistance33.2 kOhmsTolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyPoperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device Package0.180° Dia x 0.562° L (4.57mm x 14.27mm)Height - Seated (Max)2Aumber of Terminations2Failure Rate-Failure Rate-	Category	Resistors		
NumberNumberSeriesCMFResistance33.2 kOhmsTolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25ppm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device Package0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)2Number of Terminations2Failure Rate-		Through Hole Resistors		
Resistance33.2 kOhmsTolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25ppm°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device Package0.180° Dia x 0.562° L (4.57mm x 14.27mm)Height - Seated (Max)2Aumber of Terminations2Failure Rate-Failure Rate-	Package	Axial		
Tolerance±0.1%Power (Watts)1.5WCompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device Package0.180° Dia x 0.562° L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-Other Seated (Max)-Start of Terminations-Start of Terminations- <td< td=""><td>Series</td><td>CMF</td><td></td></td<>	Series	CMF		
Power (Watts)1.5WCompositionMetal FilmFeaturesFame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)2Failure Rate1	Resistance	33.2 kOhms		
CompositionMetal FilmFeaturesFlame Retardant Coating, Moisture Resistant, SafetyTemperature Coefficient±25pm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Tolerance	±0.1%		
FeaturesFlame Retardant Coating, Moisture Resistant, SafetyFeatures±25ppm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180° Dia x 0.562° L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Power (Watts)	1.5W		
Temperature Coefficient±25pm/°COperating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)2Number of Terminations2Failure Rate-	Composition	Metal Film	Metal Film	
Operating Temperature-55°C ~ 175°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Features	Flame Retardant Coating, Moisture Resistant, Safety		
Package / CaseAxialSupplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Temperature Coefficient	±25ppm/°C		
Supplier Device PackageAxialSize / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Operating Temperature	-55°C ~ 175°C		
Size / Dimension0.180" Dia x 0.562" L (4.57mm x 14.27mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Package / Case	Axial		
Height - Seated (Max)-Number of Terminations2Failure Rate-	Supplier Device Package	Axial		
Number of Terminations2Failure Rate-	Size / Dimension	0.180" Dia x 0.562" L (4.57mm x 14.27mm)		
Failure Rate -	Height - Seated (Max)	-		
	Number of Terminations	2		
Depart array?	Failure Rate	-		
Report errors?			Report errors?	

### CMF6533K200BEEB Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### CMF6533K200BEEB Payment Methods



If you have any question about CMF6533K200BEEB, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com