



CN0967C10S20S8-200 Information

Manufacturer
Category

Part Number CN0967C10S20S8-200

Manufacturer Cinch Connectivity Solutions

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT FMALE 2POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CN0967C10S20S8-200 Specifications

Manufacturer Part Number CN0967C10S20S8-200 Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series MIL-DTL-26500, CN0967 Connector Type Receptacle, Female Sockets Number of Positions 2 Shell Size - Insert 10-20 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer Part Number	CN0967C10S20S8-200
Package-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Package	-
Number of Positions2Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Series	MIL-DTL-26500, CN0967
Shell Size - Insert10-20Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated Current Rating	Number of Positions	2
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation8Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Shell Size - Insert	10-20
Termination Crimp Fastening Type Threaded Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Orientation Bull Material, Finish Contact Finish Contact Finish Contact Finish Features Shielded Voltage - Rated Current Rating Threaded Bull Material Bul	Mounting Type	Panel Mount, Flange
Orientation 8 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated Current Rating	Orientation	8
Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features Shielded Voltage - Rated - Current Rating -	Shell Material, Finish	Stainless Steel
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	Shielded
	Voltage - Rated	-
Domont owners	Current Rating	-
Report errors?		Report errors?

CN0967C10S20S8-200 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CN0967C10S20S8-200 Payment Methods



















CN0967C10S20S8-200 Shipping Methods













If you have any question about CN0967C10S20S8-200, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com