



CN0967C20S39S7-200 Information

Ma Cat Heisener.com

Part Number CN0967C20S39S7-200

Manufacturer Cinch Connectivity Solutions

Category Connectors, Interconnects
Circular Connectors

Description CONN RCPT FMALE 39POS GOLD CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CN0967C20S39S7-200 Specifications

Manufacturer Part Number CN0967C20S39S7-200 Manufacturer Cinch Connectivity Solutions Category Connectors, Interconnects Package - Series MIL-DTL-26500, CN0967 Connector Type Receptacle, Female Sockets Number of Positions 39 Shell Size - Insert 20-39 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation 7 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer Part Number	CN0967C20S39S7-200
Package-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Manufacturer	Cinch Connectivity Solutions
Package-SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Category	Connectors, Interconnects
SeriesMIL-DTL-26500, CN0967Connector TypeReceptacle, Female SocketsNumber of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Package	-
Number of Positions39Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Series	MIL-DTL-26500, CN0967
Shell Size - Insert20-39Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Connector Type	Receptacle, Female Sockets
Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Number of Positions	39
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientation7Ingress ProtectionEnvironment SealedShell Material, FinishStainless SteelContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-	Shell Size - Insert	20-39
Termination Crimp Fastening Type Threaded Orientation 7 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Orientation 7 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated Current Rating	Mounting Type	Panel Mount, Flange
Orientation 7 Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Termination	Crimp
Ingress Protection Environment Sealed Shell Material, Finish Stainless Steel Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features Shielded Voltage - Rated Current Rating	Orientation	7
Contact Finish Gold Features Shielded Voltage - Rated - Current Rating -	Ingress Protection	Environment Sealed
Features Shielded Voltage - Rated - Current Rating -	Shell Material, Finish	Stainless Steel
Voltage - Rated - Current Rating -	Contact Finish	Gold
Current Rating -	Features	Shielded
-	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

CN0967C20S39S7-200 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CN0967C20S39S7-200 Payment Methods



















CN0967C20S39S7-200 Shipping Methods













If you have any question about CN0967C20S39S7-200, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com