

# **CRA06P0839K10JTA**

### CRA06P0839K10JTA Information



Part Number CRA06P0839K10JTA

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 4 RES 9.1K OHM 1206

Package 1206 (3216 Metric), Concave, Long Side Terminals

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **CRA06P0839K10JTA Specifications**

Manufacturer Part NumberCRA06P0839K10JTAManufacturerVishay DaleCategoryResistorsResistor Networks, ArraysPackage1206 (3216 Metric), Concave, Long Side TerminalsSeriesCRA06Circuit TypeIsolatedResistance (Ohms)9.1kTolerance±5%Number of Resistors4Number of Pins8Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface Mount
Category  Resistor Networks, Arrays  Package  1206 (3216 Metric), Concave, Long Side Terminals  Series  CRA06  Circuit Type  Isolated  Resistance (Ohms)  9.1k  Tolerance  ±5%  Number of Resistors  4  Number of Pins  8  Power Per Element  62.5mW  Temperature Coefficient  ±200ppm/°C  Operating Temperature  -55°C ~ 155°C  Applications  -
Resistor Networks, Arrays  Package 1206 (3216 Metric), Concave, Long Side Terminals  Series CRA06  Circuit Type Isolated  Resistance (Ohms) 9.1k  Tolerance ±5%  Number of Resistors 4  Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications -
Package 1206 (3216 Metric), Concave, Long Side Terminals  Series CRA06  Circuit Type Isolated  Resistance (Ohms) 9.1k  Tolerance ±5%  Number of Resistors 4  Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications -
SeriesCRA06Circuit TypeIsolatedResistance (Ohms) $9.1k$ Tolerance $\pm 5\%$ Number of Resistors $4$ Number of Pins $8$ Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 155 ^{\circ}\text{C}$ Applications $-$
Circuit Type Isolated  Resistance (Ohms) 9.1k  Tolerance ±5%  Number of Resistors 4  Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications -
Resistance (Ohms)9.1kTolerance±5%Number of Resistors4Number of Pins8Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-
Tolerance $\pm 5\%$ Number of Resistors4Number of Pins8Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications-
Number of Resistors4Number of Pins8Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications-
Number of Pins8Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 155 ^{\circ}\text{C}$ Applications-
Power Per Element 62.5mW  Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications -
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications $-$
Operating Temperature -55°C ~ 155°C Applications -
Applications -
Mounting Type Surface Mount
Mounting Type Surface Mount
Package / Case 1206 (3216 Metric), Concave, Long Side Terminals
Supplier Device Package -
Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)
Height - Seated (Max) 0.028" (0.70mm)
Report errors

#### CRA06P0839K10JTA Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **CRA06P0839K10JTA Payment Methods**



















## CRA06P0839K10JTA Shipping Methods













If you have any question about CRA06P0839K10JTA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com