

CRA06S043820KJTA

CRA06S043820KJTA Information

Part Number CRA06S043820KJTA

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 2 RES 820K OHM 0606

Package 0606, Convex

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CRA06S043820KJTA Specifications

| Manufacturer Part Number CRA06S043820KJTA Manufacturer Vishay Dale Category Resistors Resistor Networks, Arrays Package 0606, Convex Series CRA06 Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | | |
|---|--------------------------|---------------------------------------|
| Category Resistors Package 0606, Convex Series CRA06 Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Manufacturer Part Number | CRA06S043820KJTA |
| Resistor Networks, Arrays Package 0606, Convex Series CRA06 Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Manufacturer | Vishay Dale |
| Package 0606, Convex Series CRA06 Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Category | Resistors |
| Series CRA06 Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | | Resistor Networks, Arrays |
| Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Package | 0606, Convex |
| Resistance (Ohms) 820k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Series | CRA06 |
| Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Circuit Type | Isolated |
| Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case0606, ConvexSupplier Device Package-Size / Dimension0.063" L x 0.059" W (1.60mm x 1.50mm)Height - Seated (Max)0.024" (0.60mm) | Resistance (Ohms) | 820k |
| Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Tolerance | ±5% |
| Power Per Element Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Number of Resistors | 2 |
| Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Number of Pins | 4 |
| Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Power Per Element | 62.5mW |
| Applications - Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Temperature Coefficient | ±200ppm/°C |
| Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Operating Temperature | -55°C ~ 155°C |
| Package / Case 0606, Convex Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Applications | - |
| Supplier Device Package - Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Mounting Type | Surface Mount |
| Size / Dimension 0.063" L x 0.059" W (1.60mm x 1.50mm) Height - Seated (Max) 0.024" (0.60mm) | Package / Case | 0606, Convex |
| Height - Seated (Max) 0.024" (0.60mm) | Supplier Device Package | - |
| | Size / Dimension | 0.063" L x 0.059" W (1.60mm x 1.50mm) |
| Report errors? | Height - Seated (Max) | 0.024" (0.60mm) |
| | | Report errors? |

CRA06S043820KJTA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CRA06S043820KJTA Payment Methods



















CRA06S043820KJTA Shipping Methods













If you have any question about CRA06S043820KJTA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com