

### **CS1W-SF200 Information**

Heisener.com

Part Number CS1W-SF200

Manufacturer Omron Electronics Inc-EMC Div

Category Relays

Power Relays, Over 2 Amps

**Description RELAY SAFETY DPST 5A 24V** 

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **CS1W-SF200 Specifications**

Manufacturer Part Number       CS1W-SF200         Manufacturer       Omron Electronics Inc-EMC Div         Category       Relays         Power Relays, Over 2 Amps         Package       -         Series       -         Relay Type       Safety         Coil Type       Non Latching         Coil Current       7mA         Coil Voltage       24VDC         Contact Form       DPST (2 Form A)         Contact Rating (Current)       5A         Switching Voltage       250VAC, 30VDC - Max         Turn On Voltage (Max)       14.4 VDC         Turn Off Voltage (Min)       5 VDC         Operate Time       8ms         Release Time       8ms         Features       -         Mounting Type       DIN Rail         Termination Style       Screw Terminal		
CategoryRelaysPower Relays, Over 2 AmpsPackage-Series-Relay TypeSafetyCoil TypeNon LatchingCoil Current7mACoil Voltage24VDCContact FormDPST (2 Form A)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)5 VDCOperate Time8msRelease Time8msFeatures-Mounting TypeDIN RailTermination StyleScrew Terminal	Manufacturer Part Number	CS1W-SF200
Package - Series - Series - Safety Safety Safety Soil Type Safety Non Latching Coil Current 7mA Coil Voltage 24VDC Contact Form DPST (2 Form A) Soil Current 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 14.4 VDC Turn Off Voltage (Min) 5 VDC Operate Time 8ms Release Time 8ms Features - Mounting Type DIN Rail Termination Style Safety Screw Terminal Screw Terminal Safety	Manufacturer	Omron Electronics Inc-EMC Div
Package - Series - Relay Type Safety Safety Coil Type Non Latching Coil Current 7mA Coil Voltage 24VDC Contact Form DPST (2 Form A) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 14.4 VDC Turn Off Voltage (Min) 5 VDC Operate Time 8ms Release Time 8ms Features - Mounting Type DIN Rail Termination Style Safety S	Category	Relays
Series-Relay TypeSafetyCoil TypeNon LatchingCoil Current7mACoil Voltage24VDCContact FormDPST (2 Form A)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)5 VDCOperate Time8msRelease Time8msFeatures-Mounting TypeDIN RailTermination StyleScrew Terminal		Power Relays, Over 2 Amps
Relay TypeSafetyCoil TypeNon LatchingCoil Current7mACoil Voltage24VDCContact FormDPST (2 Form A)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)5 VDCOperate Time8msRelease Time8msFeatures-Mounting TypeDIN RailTermination StyleScrew Terminal	Package	-
Coil TypeNon LatchingCoil Current7mACoil Voltage24VDCContact FormDPST (2 Form A)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)14.4 VDCTurn Off Voltage (Min)5 VDCOperate Time8msRelease Time8msFeatures-Mounting TypeDIN RailTermination StyleScrew Terminal	Series	-
Coil Current Coil Voltage 24VDC Contact Form DPST (2 Form A) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 14.4 VDC Turn Off Voltage (Min) 5 VDC Operate Time 8ms Release Time 8ms Features - Mounting Type DIN Rail Termination Style Serve Terminal	Relay Type	Safety
Coil Voltage 24VDC Contact Form DPST (2 Form A) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 14.4 VDC Turn Off Voltage (Min) 5 VDC Operate Time 8ms Release Time 8ms Features - Mounting Type DIN Rail Termination Style Screw Terminal	Coil Type	Non Latching
Contact Form DPST (2 Form A)  Contact Rating (Current) 5A  Switching Voltage 250VAC, 30VDC - Max  Turn On Voltage (Max) 14.4 VDC  Turn Off Voltage (Min) 5 VDC  Operate Time 8ms  Release Time 8ms  Release Time - 8ms  Features Mounting Type DIN Rail  Termination Style Screw Terminal	Coil Current	7mA
Contact Rating (Current)  Switching Voltage  250VAC, 30VDC - Max  Turn On Voltage (Max)  14.4 VDC  Turn Off Voltage (Min)  5 VDC  Operate Time  8ms  Release Time  8ms  Features  - Mounting Type  DIN Rail  Termination Style	Coil Voltage	24VDC
Switching Voltage 250VAC, 30VDC - Max  Turn On Voltage (Max) 14.4 VDC  Turn Off Voltage (Min) 5 VDC  Operate Time 8ms  Release Time 8ms  Features	Contact Form	DPST (2 Form A)
Turn On Voltage (Max)  14.4 VDC  Turn Off Voltage (Min)  5 VDC  Operate Time  8ms  Release Time  8ms  Features  - Mounting Type  DIN Rail  Termination Style  14.4 VDC  5 VDC  DIN Rail  Screw Terminal	Contact Rating (Current)	5A
Turn Off Voltage (Min)  Operate Time  8ms  Release Time  8ms  Features  -  Mounting Type  DIN Rail  Termination Style  Screw Terminal	Switching Voltage	250VAC, 30VDC - Max
Operate Time 8ms Release Time 8ms Features - Mounting Type DIN Rail Termination Style Screw Terminal	Turn On Voltage (Max)	14.4 VDC
Release Time 8ms  Features - Mounting Type DIN Rail Termination Style Screw Terminal	Turn Off Voltage (Min)	5 VDC
Features - Mounting Type DIN Rail Termination Style Screw Terminal	Operate Time	8ms
Mounting Type DIN Rail Termination Style Screw Terminal	Release Time	8ms
Termination Style Screw Terminal	Features	-
·	Mounting Type	DIN Rail
Report errors?	Termination Style	Screw Terminal
		Report errors?

#### **CS1W-SF200** Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **CS1W-SF200 Payment Methods**



















# **CS1W-SF200 Shipping Methods**













If you have any question about CS1W-SF200, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com