

# CS3106A-28-66P Information

Heisener.com

Part Number CS3106A-28-66P

Manufacturer Amphenol Industrial Operations

Category Connectors, Interconnects
Circular Connectors

**Description** CONN PLUG 16POS STRAIGHT W/PINS

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# CS3106A-28-66P Specifications

Manufacturer Part Number       CS3106A-28-66P         Manufacturer       Amphenol Industrial Operations         Category       Connectors, Interconnects         Circular Connectors       Circular Connectors         Package       -         Series       CS, MIL-5015 Derivative         Connector Type       Plug, Male Pins         Number of Positions       16         Shell Size - Insert       28-66         Shell Size, MIL       -         Mounting Type       Free Hanging (In-Line)         Termination       Solder Cup         Fastening Type       Threaded         Orientation       N (Normal)         Ingress Protection       Environment Resistant         Shell Material, Finish       Aluminum Alloy, Olive Drab Cadmium Plated         Contact Finish       Silver         Features       -         Voltage - Rated       -         Current Rating       -         Report errors?		
Category Connectors, Interconnects Circular Connectors  Package - Series CS, MIL-5015 Derivative Connector Type Plug, Male Pins Number of Positions 16 Shell Size - Insert 28-66 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Features - Voltage - Rated - Current Rating -	Manufacturer Part Number	CS3106A-28-66P
Circular Connectors  Package - Series CS, MIL-5015 Derivative Connector Type Plug, Male Pins Number of Positions 16 Shell Size - Insert 28-66 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Features - Voltage - Rated - Current Rating -	Manufacturer	Amphenol Industrial Operations
Package - CS, MIL-5015 Derivative Connector Type Plug, Male Pins Number of Positions 16 Shell Size - Insert 28-66 Shell Size, MIL - CMOUNT	Category	Connectors, Interconnects
SeriesCS, MIL-5015 DerivativeConnector TypePlug, Male PinsNumber of Positions16Shell Size - Insert28-66Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated-Current Rating-		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions16Shell Size - Insert28-66Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated-Current Rating-	Package	-
Number of Positions  Shell Size - Insert  28-66  Shell Size, MIL  Mounting Type  Free Hanging (In-Line)  Termination  Solder Cup  Fastening Type  Threaded  Orientation  N (Normal)  Ingress Protection  Shell Material, Finish  Aluminum Alloy, Olive Drab Cadmium Plated  Contact Finish  Features  Voltage - Rated  Current Rating  -  -  Current Rating  -  16  28-66  28-66  -  28-6  -  2	Series	CS, MIL-5015 Derivative
Shell Size - Insert  Shell Size, MIL  Mounting Type  Free Hanging (In-Line)  Termination  Solder Cup  Fastening Type  Threaded  Orientation  N (Normal)  Ingress Protection  Environment Resistant  Shell Material, Finish  Aluminum Alloy, Olive Drab Cadmium Plated  Contact Finish  Features  -  Voltage - Rated  -  Current Rating  -  28-66  And  And  -  Current Rating  -  28-66  And  -  Current Rating  -  Free Hanging (In-Line)  Free Hanging (In-Line)  Aluminum (In-Line)  -  Solder Cup  Threaded  -  Current Rating  -  Current Rating	Connector Type	Plug, Male Pins
Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Termination Solder Cup  Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Silver Features - Voltage - Rated - Current Rating -	Number of Positions	16
Mounting Type Free Hanging (In-Line)  Termination Solder Cup  Fastening Type Threaded  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated  Contact Finish Silver  Features -  Voltage - Rated -  Current Rating -	Shell Size - Insert	28-66
Termination Solder Cup Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Silver Features - Voltage - Rated - Current Rating -	Shell Size, MIL	-
Fastening Type Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Silver Features - Voltage - Rated - Current Rating -	Mounting Type	Free Hanging (In-Line)
Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Silver Features - Voltage - Rated - Current Rating -	Termination	Solder Cup
Ingress Protection Environment Resistant Shell Material, Finish Aluminum Alloy, Olive Drab Cadmium Plated Contact Finish Silver Features - Voltage - Rated - Current Rating -	Fastening Type	Threaded
Shell Material, Finish Contact Finish Silver  Features - Voltage - Rated - Current Rating - Aluminum Alloy, Olive Drab Cadmium Plated - Silver	Orientation	N (Normal)
Contact Finish  Features  Voltage - Rated  Current Rating  Silver  -  -  -  -  -  -  -  -  -  -  -  -  -	Ingress Protection	Environment Resistant
Features - Voltage - Rated - Current Rating -	Shell Material, Finish	Aluminum Alloy, Olive Drab Cadmium Plated
Voltage - Rated - Current Rating -	Contact Finish	Silver
Current Rating -	Features	-
-	Voltage - Rated	-
Report errors?	Current Rating	-
		Report errors?

#### CS3106A-28-66P Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## CS3106A-28-66P Payment Methods





















### **CS3106A-28-66P Shipping Methods**













If you have any question about CS3106A-28-66P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com