



CSC06A0168R0GPA Information



For Reference Only

Part Number CSC06A0168R0GPA

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 5 RES 68 OHM 6SIP

Package 6-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CSC06A0168R0GPA Specifications

| Manufacturer Part Number CSC06A0168R0GPA Manufacturer Vishay Dale Category Resistors Resistor Networks, Arrays Package 6-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | | |
|---|--------------------------|--|
| Category Resistors Resistor Networks, Arrays Package 6-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Manufacturer Part Number | CSC06A0168R0GPA |
| Resistor Networks, Arrays Package 6-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Manufacturer | Vishay Dale |
| Package 6-SIP Series CSC Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Category | Resistors |
| Series CSC Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | | Resistor Networks, Arrays |
| Circuit TypeBussedResistance (Ohms)68Tolerance±2%Number of Resistors5Number of Pins6Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.590" L x 0.098" W (14.99mm x 2.49mm)Height - Seated (Max)0.195" (4.95mm) | Package | 6-SIP |
| Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Series | CSC |
| Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Circuit Type | Bussed |
| Number of Resistors5Number of Pins6Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.590" L x 0.098" W (14.99mm x 2.49mm)Height - Seated (Max)0.195" (4.95mm) | Resistance (Ohms) | 68 |
| Number of Pins 6 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Tolerance | ±2% |
| Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Number of Resistors | 5 |
| Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Number of Pins | 6 |
| Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Power Per Element | 200mW |
| Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Temperature Coefficient | ±100ppm/°C |
| Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Operating Temperature | -55°C ~ 125°C |
| Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Applications | - |
| Supplier Device Package 6-SIP Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Mounting Type | Through Hole |
| Size / Dimension 0.590" L x 0.098" W (14.99mm x 2.49mm) Height - Seated (Max) 0.195" (4.95mm) | Package / Case | 6-SIP |
| Height - Seated (Max) 0.195" (4.95mm) | Supplier Device Package | 6-SIP |
| | Size / Dimension | 0.590" L x 0.098" W (14.99mm x 2.49mm) |
| Report errors? | Height - Seated (Max) | 0.195" (4.95mm) |
| | | Report errors? |

CSC06A0168R0GPA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CSC06A0168R0GPA Payment Methods



















CSC06A0168R0GPA Shipping Methods













If you have any question about CSC06A0168R0GPA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com