



## CSC10A032K20GPA Information



For Reference Only

Part Number CSC10A032K20GPA

Manufacturer Vishay Dale Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 5 RES 2.2K OHM 10SIP

Package 10-SIP

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## CSC10A032K20GPA Specifications

Manufacturer Part NumberCSC10A032K20GPAManufacturerVishay DaleCategoryResistorsPackage10-SIPSeriesCSCCircuit TypeIsolatedResistance (Ohms)2.2kTolerance±2%Number of Resistors5Number of Pins10Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIP		
Category         Resistors           Resistor Networks, Arrays           Package         10-SIP           Series         CSC           Circuit Type         Isolated           Resistance (Ohms)         2.2k           Tolerance         ±2%           Number of Resistors         5           Number of Pins         10           Power Per Element         300mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         10-SIP	Manufacturer Part Number	CSC10A032K20GPA
Resistor Networks, Arrays  Package 10-SIP  Series CSC Circuit Type Isolated Resistance (Ohms) 2.2k  Tolerance ±2%  Number of Resistors 5 Number of Pins 10 Power Per Element 300mW  Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C  Applications Mounting Type Through Hole Package / Case 10-SIP	Manufacturer	Vishay Dale
Package 10-SIP Series CSC Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature  -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Category	Resistors
Series         CSC           Circuit Type         Isolated           Resistance (Ohms)         2.2k           Tolerance         ±2%           Number of Resistors         5           Number of Pins         10           Power Per Element         300mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         10-SIP		Resistor Networks, Arrays
Circuit Type Isolated  Resistance (Ohms) 2.2k  Tolerance ±2%  Number of Resistors 5  Number of Pins 10  Power Per Element 300mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 10-SIP	Package	10-SIP
Resistance (Ohms)       2.2k         Tolerance       ±2%         Number of Resistors       5         Number of Pins       10         Power Per Element       300mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       10-SIP	Series	CSC
Tolerance $\pm 2\%$ Number of Resistors5Number of Pins $10$ Power Per Element $300mW$ Temperature Coefficient $\pm 100ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Applications-Mounting TypeThrough HolePackage / Case $10\text{-SIP}$	Circuit Type	Isolated
Number of Resistors5Number of Pins10Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIP	Resistance (Ohms)	2.2k
Number of Pins10Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIP	Tolerance	±2%
Power Per Element $300 \text{mW}$ Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough HolePackage / Case $10\text{-SIP}$	Number of Resistors	5
Temperature Coefficient $\pm 100$ ppm/°C  Operating Temperature $-55$ °C $\sim 125$ °C  Applications $-$ Mounting Type Through Hole  Package / Case 10-SIP	Number of Pins	10
Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 10-SIP	Power Per Element	300mW
Applications - Mounting Type Through Hole Package / Case 10-SIP	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 10-SIP	Operating Temperature	-55°C ~ 125°C
Package / Case 10-SIP	Applications	-
-	Mounting Type	Through Hole
Supplier Device Package 10-SIP	Package / Case	10-SIP
	Supplier Device Package	10-SIP
Size / Dimension 0.990" L x 0.098" W (25.15mm x 2.49mm)	Size / Dimension	0.990" L x 0.098" W (25.15mm x 2.49mm)
Height - Seated (Max) 0.195" (4.95mm)	Height - Seated (Max)	0.195" (4.95mm)
Report errors?		Report errors?

### CSC10A032K20GPA Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### CSC10A032K20GPA Payment Methods



















### CSC10A032K20GPA Shipping Methods













If you have any question about CSC10A032K20GPA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com