



CTVP00RW-13-4PC Information

Heisener.com

Part Number CTVP00RW-13-4PC

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT MALE 4POS GOLD CRIMP

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









CTVP00RW-13-4PC Specifications

Manufacturer Part NumberCTVP00RW-13-4PCManufacturerAmphenol Aerospace OperationsCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-38999 Series III, Tri-Start? TVConnector TypeReceptacle, Male PinsNumber of Positions4Shell Size - Insert13-4Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationCIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-		
Category Connectors, Interconnects Circular Connectors Package - Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Receptacle, Male Pins Number of Positions 4 Shell Size - Insert 13-4 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Manufacturer Part Number	CTVP00RW-13-4PC
Circular Connectors Package - Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Receptacle, Male Pins Number of Positions 4 Shell Size - Insert 13-4 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Manufacturer	Amphenol Aerospace Operations
Package - Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Receptacle, Male Pins Number of Positions 4 Shell Size - Insert 13-4 Shell Size, MIL - Characteria 13-4 Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated	Category	Connectors, Interconnects
Series MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Receptacle, Male Pins Number of Positions 4 Shell Size - Insert 13-4 Shell Size, MIL		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions4Shell Size - Insert13-4Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationCIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Package	-
Number of Positions Shell Size - Insert 13-4 Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Series	MIL-DTL-38999 Series III, Tri-Start? TV
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Features Shielded Voltage - Rated 13-4	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Features Shielded Voltage - Rated -	Number of Positions	4
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationCIngress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Shell Size - Insert	13-4
Termination Crimp Fastening Type Threaded Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Shell Size, MIL	-
Fastening Type Threaded Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Mounting Type	Panel Mount, Flange
Orientation C Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Fastening Type	Threaded
Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Orientation	C
Contact Finish Gold Features Shielded Voltage - Rated -	Ingress Protection	Environment Resistant
Features Shielded Voltage - Rated -	Shell Material, Finish	Composite, Olive Drab Cadmium Plated
Voltage - Rated -	Contact Finish	Gold
	Features	Shielded
	Voltage - Rated	-
Current Rating -	Current Rating	-
Report errors?		Report errors?

CTVP00RW-13-4PC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

CTVP00RW-13-4PC Payment Methods



















CTVP00RW-13-4PC Shipping Methods













If you have any question about CTVP00RW-13-4PC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com