



D15P81C6GL00 Information

Heisener.com

Part Number D15P81C6GL00 Manufacturer Amphenol FCI

Category Connectors, Interconnects

D-Sub Connectors

Description CONN D-SUB PLUG 15POS R/A PRESS

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









D15P81C6GL00 Specifications

Manufacturer Part NumberD15P81C6GL00ManufacturerAmphenol FCICategoryConnectors, InterconnectsPackage-SeriesDelta DConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)FeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	•	
Category Connectors, Interconnects D-Sub Connectors Package - Series Delta D Connector Style Connector Type Plug, Male Pins Number of Positions Number of Rows 2 Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Housing/Shell (M3) Termination Press-Fit Features Board Guide, Grounding Indents Shell Material, Finish Gold Contact Finish Gold Contact Finish Thickness Ingress Protection Material Flammability Rating Connectors, Interconnects D-Sub Connectors D-Sub Connectors Pelta D D-Sub Connector Style Plug, Male Pins Plug	Manufacturer Part Number	D15P81C6GL00
Package - Delta D Connector Style D-Sub Connector Type Plug, Male Pins Number of Positions 15 Number of Rows 2 Shell Size, Connector Layout 2 (DA, A) Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Housing/Shell (M3) Termination Press-Fit Features Board Guide, Grounding Indents Shell Material, Finish Gold Contact Finish Thickness 30µin (0.76µm) Ingress Protection - Material Flammability Rating UL94 V-0	Manufacturer	Amphenol FCI
Package-SeriesDelta DConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesDelta DConnector StyleD-SubConnector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector Style Connector Type Plug, Male Pins Number of Positions 15 Number of Rows 2 Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Housing/Shell (M3) Termination Press-Fit Features Board Guide, Grounding Indents Shell Material, Finish Contact Finish Contact Finish Thickness Ingress Protection Material Flammability Rating UL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Series	Delta D
Number of Positions15Number of Rows2Shell Size, Connector Layout2 (DA, A)Contact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub
Number of Rows Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Housing/Shell (M3) Termination Press-Fit Features Board Guide, Grounding Indents Shell Material, Finish Steel, Tin Plated Contact Finish Thickness JOµin (0.76µm) Ingress Protection Material Flammability Rating UL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Housing/Shell (M3) Termination Press-Fit Board Guide, Grounding Indents Shell Material, Finish Steel, Tin Plated Contact Finish Thickness 30µin (0.76µm) Ingress Protection Material Flammability Rating UL94 V-0	Number of Positions	15
Contact Type Mounting Type Through Hole, Right Angle Housing/Shell (M3) Termination Press-Fit Board Guide, Grounding Indents Shell Material, Finish Contact Finish Contact Finish Thickness 30µin (0.76µm) Ingress Protection Material Flammability Rating Signal Chrough Hole, Right Angle Housing/Shell (M3) Features Board Guide, Grounding Indents Steel, Tin Plated Cold Gold UL94 V-0	Number of Rows	2
Mounting TypeThrough Hole, Right AngleFlange FeatureHousing/Shell (M3)TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	2 (DA, A)
Flange Feature Housing/Shell (M3) Termination Press-Fit Features Board Guide, Grounding Indents Shell Material, Finish Steel, Tin Plated Contact Finish Gold Contact Finish Thickness 30µin (0.76µm) Ingress Protection - Material Flammability Rating UL94 V-0	Contact Type	Signal
TerminationPress-FitFeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Through Hole, Right Angle
FeaturesBoard Guide, Grounding IndentsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Housing/Shell (M3)
Shell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Termination	Press-Fit
Contact FinishGoldContact Finish Thickness30μin (0.76μm)Ingress Protection-Material Flammability RatingUL94 V-0	Features	Board Guide, Grounding Indents
Contact Finish Thickness 30μin (0.76μm) Ingress Protection - Material Flammability Rating UL94 V-0	Shell Material, Finish	Steel, Tin Plated
Ingress Protection - Material Flammability Rating UL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	30μin (0.76μm)
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

D15P81C6GL00 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

D15P81C6GL00 Payment Methods



















D15P81C6GL00 Shipping Methods













If you have any question about D15P81C6GL00, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com