



D38999/20FJ61PA Information

Heisener.com

Part Number D38999/20FJ61PA

Manufacturer Souriau

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT 61POS WALL MNT W/PINS

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









D38999/20FJ61PA Specifications

Manufacturer Part Number D38999/20FJ6IPA Manufacturer Souriau Category Connectors, Interconnects Package - Series Military, MIL-DTL-38999 Series III Connector Type Receptacle, Male Pins Number of Positions 61 Shell Size - Insert 25-61 Shell Size, MIL J Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A		
Category Circular Connectors Circular Connectors Package - Series Military, MIL-DTL-38999 Series III Connector Type Receptacle, Male Pins Number of Positions 61 Shell Size - Insert 25-61 Shell Size, MIL J Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features Voltage - Rated Current Rating 7.5A	Manufacturer Part Number	D38999/20FJ61PA
Circular Connectors Package - Series Military, MIL-DTL-38999 Series III Connector Type Receptacle, Male Pins Number of Positions 61 Shell Size - Insert 25-61 Shell Size, MIL J Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features Voltage - Rated Current Rating 7.5A	Manufacturer	Souriau
Package - Series Military, MIL-DTL-38999 Series III Connector Type Receptacle, Male Pins Number of Positions 61 Shell Size - Insert 25-61 Shell Size, MIL J Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A	Category	Connectors, Interconnects
Series Military, MIL-DTL-38999 Series III Connector Type Receptacle, Male Pins Number of Positions 61 Shell Size - Insert 25-61 Shell Size, MIL J Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions61Shell Size - Insert25-61Shell Size, MILJMounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationAIngress Protection-Shell Material, FinishAluminum, Nickel PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A	Package	-
Number of Positions Shell Size - Insert 25-61 Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A	Series	Military, MIL-DTL-38999 Series III
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating 7.5A	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Panel Mount, Flange Termination Crimp Fastening Type Threaded Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated Current Rating Type Panel Mount, Flange Threaded Aluminum, Nickel Plated Food Threaded Threaded Threaded - Threaded Threaded - Thr	Number of Positions	61
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationAIngress Protection-Shell Material, FinishAluminum, Nickel PlatedContact FinishGoldFeatures-Voltage - Rated-Current Rating7.5A	Shell Size - Insert	25-61
Termination Crimp Fastening Type Threaded Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A	Shell Size, MIL	J
Fastening Type Orientation A Ingress Protection Shell Material, Finish Contact Finish Features Voltage - Rated Current Rating Threaded A A A A A A A A A A A A A	Mounting Type	Panel Mount, Flange
Orientation A Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A	Termination	Crimp
Ingress Protection - Shell Material, Finish Aluminum, Nickel Plated Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A	Fastening Type	Threaded
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Aluminum, Nickel Plated	Orientation	A
Contact Finish Gold Features - Voltage - Rated - Current Rating 7.5A	Ingress Protection	-
Features - Voltage - Rated - Current Rating 7.5A	Shell Material, Finish	Aluminum, Nickel Plated
Voltage - Rated - Current Rating 7.5A	Contact Finish	Gold
Current Rating 7.5A	Features	-
	Voltage - Rated	-
Report errors?	Current Rating	7.5A
		Report errors?

D38999/20FJ61PA Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

D38999/20FJ61PA Payment Methods

































If you have any question about D38999/20FJ61PA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com