



# D38999/24WE2PN Information

Heisener.com

Part Number D38999/24WE2PN

Manufacturer Amphenol Aerospace Operations

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN RCPT 39POS JAM NUT W/PINS

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## D38999/24WE2PN Specifications

Manufacturer Part NumberD38999/24WE2PNManufacturerAmphenol Aerospace OperationsCategoryConnectors, InterconnectsPackage-SeriesMilitary, MIL-DTL-38999 Series III, Tri-Start? TVConnector TypeReceptacle, Male PinsNumber of Positions39 (38 + 1 Coax)Shell Size - Insert17-2Shell Size, MILEMounting TypePanel Mount, Bulkhead - Front Side NutTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-Current Rating-		
Category Connectors, Interconnects Circular Connectors  Package - Series Military, MIL-DTL-38999 Series III, Tri-Start? TV Connector Type Receptacle, Male Pins Number of Positions 39 (38 + 1 Coax) Shell Size - Insert 17-2 Shell Size, MIL E Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Manufacturer Part Number	D38999/24WE2PN
Circular Connectors  Package - Series Military, MIL-DTL-38999 Series III, Tri-Start? TV  Connector Type Receptacle, Male Pins  Number of Positions 39 (38 + 1 Coax)  Shell Size - Insert 17-2  Shell Size, MIL E  Mounting Type Panel Mount, Bulkhead - Front Side Nut  Termination Crimp  Fastening Type Threaded  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Olive Drab Cadmium Plated  Contact Finish Gold  Features Shielded  Voltage - Rated  -	Manufacturer	Amphenol Aerospace Operations
Package - Military, MIL-DTL-38999 Series III, Tri-Start? TV  Connector Type Receptacle, Male Pins  Number of Positions 39 (38 + 1 Coax)  Shell Size - Insert 17-2  Shell Size, MIL E  Mounting Type Panel Mount, Bulkhead - Front Side Nut  Termination Crimp  Fastening Type Threaded  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Olive Drab Cadmium Plated  Contact Finish Gold  Features Shielded  Voltage - Rated -	Category	Connectors, Interconnects
Series Military, MIL-DTL-38999 Series III, Tri-Start? TV  Connector Type Receptacle, Male Pins  Number of Positions 39 (38 + 1 Coax)  Shell Size - Insert 17-2  Shell Size, MIL E  Mounting Type Panel Mount, Bulkhead - Front Side Nut  Termination Crimp  Fastening Type Threaded  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Olive Drab Cadmium Plated  Contact Finish Gold  Features Shielded  Voltage - Rated  Military, MIL-DTL-38999 Series III, Tri-Start? TV  Receptacle, Male Pins  39 (38 + 1 Coax)  17-2  Fastering Type Panel Mount, Bulkhead - Front Side Nut  Environment Resistent  N (Normal)  Grimp  Threaded  Orientation  N (Normal)  Shell Material, Finish Aluminum, Olive Drab Cadmium Plated		Circular Connectors
Connector Type Receptacle, Male Pins Number of Positions 39 (38 + 1 Coax)  Shell Size - Insert 17-2  Shell Size, MIL E  Mounting Type Panel Mount, Bulkhead - Front Side Nut  Termination Crimp  Fastening Type Threaded  Orientation N (Normal)  Ingress Protection Environment Resistant  Shell Material, Finish Aluminum, Olive Drab Cadmium Plated  Contact Finish Gold  Features Shielded  Voltage - Rated -	Package	-
Number of Positions39 (38 + 1 Coax)Shell Size - Insert17-2Shell Size, MILEMounting TypePanel Mount, Bulkhead - Front Side NutTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Series	Military, MIL-DTL-38999 Series III, Tri-Start? TV
Shell Size - Insert17-2Shell Size, MILEMounting TypePanel Mount, Bulkhead - Front Side NutTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Connector Type	Receptacle, Male Pins
Shell Size, MIL  Mounting Type Panel Mount, Bulkhead - Front Side Nut  Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated  Contact Finish Gold Features Shielded Voltage - Rated -	Number of Positions	39 (38 + 1 Coax)
Mounting TypePanel Mount, Bulkhead - Front Side NutTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum, Olive Drab Cadmium PlatedContact FinishGoldFeaturesShieldedVoltage - Rated-	Shell Size - Insert	17-2
Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Shell Size, MIL	E
Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Mounting Type	Panel Mount, Bulkhead - Front Side Nut
Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Termination	Crimp
Ingress Protection Environment Resistant Shell Material, Finish Aluminum, Olive Drab Cadmium Plated Contact Finish Gold Features Shielded Voltage - Rated -	Fastening Type	Threaded
Shell Material, Finish  Contact Finish  Gold  Features  Shielded  Voltage - Rated  Aluminum, Olive Drab Cadmium Plated  Gold	Orientation	N (Normal)
Contact Finish Gold Features Shielded Voltage - Rated -	Ingress Protection	Environment Resistant
Features Shielded Voltage - Rated -	Shell Material, Finish	Aluminum, Olive Drab Cadmium Plated
Voltage - Rated -	Contact Finish	Gold
	Features	Shielded
Current Rating -	Voltage - Rated	-
	Current Rating	-
Report errors?		Report errors?

### D38999/24WE2PN Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# D38999/24WE2PN Payment Methods



















# D38999/24WE2PN Shipping Methods













If you have any question about D38999/24WE2PN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com