



D38999/26JC35PN Information

Heisener.com

Part Number D38999/26JC35PN

Manufacturer TE Connectivity Deutsch Connectors

Category Connectors, Interconnects

Circular Connectors

Description CONN PLUG MALE 22POS GOLD CRIMP

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









D38999/26JC35PN Specifications

Manufacturer Part Number Manufacturer TE Connectivity Deutsch Connectors Category Connectors, Interconnects Circular Connectors Package Series Military, MIL-DTL-38999 Series III, ACT Connector Type Plug, Male Pins Number of Positions 22 Shell Size - Insert 13-35 Shell Size, MIL C Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated Current Rating -		
Category Circular Connectors Circular Connectors Package Series Military, MIL-DTL-38999 Series III, ACT Connector Type Plug, Male Pins Number of Positions 22 Shell Size - Insert 13-35 Shell Size, MIL C Mounting Type Free Hanging (In-Line) Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated Current Rating -	Manufacturer Part Number	D38999/26JC35PN
Circular Connectors Package - Series Military, MIL-DTL-38999 Series III, ACT Connector Type Plug, Male Pins Number of Positions 22 Shell Size - Insert 13-35 Shell Size, MIL C Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Manufacturer	TE Connectivity Deutsch Connectors
Package - Series Military, MIL-DTL-38999 Series III, ACT Connector Type Plug, Male Pins Number of Positions 22 Shell Size - Insert 13-35 Shell Size, MIL C Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Category	Connectors, Interconnects
SeriesMilitary, MIL-DTL-38999 Series III, ACTConnector TypePlug, Male PinsNumber of Positions22Shell Size - Insert13-35Shell Size, MILCMounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesCoupling NutVoltage - Rated400VAC, 550VDCCurrent Rating-		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions22Shell Size - Insert13-35Shell Size, MILCMounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesCoupling NutVoltage - Rated400VAC, 550VDCCurrent Rating-	Package	-
Number of Positions22Shell Size - Insert13-35Shell Size, MILCMounting TypeFree Hanging (In-Line)TerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishComposite, Olive Drab Cadmium PlatedContact FinishGoldFeaturesCoupling NutVoltage - Rated400VAC, 550VDCCurrent Rating-	Series	Military, MIL-DTL-38999 Series III, ACT
Shell Size - Insert Shell Size, MIL C Mounting Type Free Hanging (In-Line) Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Number of Positions	22
Mounting Type Free Hanging (In-Line) Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Shell Size - Insert	13-35
Termination Crimp Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Shell Size, MIL	С
Fastening Type Threaded Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Mounting Type	Free Hanging (In-Line)
Orientation N (Normal) Ingress Protection Environment Resistant Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Termination	Crimp
Ingress Protection Environment Resistant Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Fastening Type	Threaded
Shell Material, Finish Composite, Olive Drab Cadmium Plated Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Orientation	N (Normal)
Contact Finish Gold Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Ingress Protection	Environment Resistant
Features Coupling Nut Voltage - Rated 400VAC, 550VDC Current Rating -	Shell Material, Finish	Composite, Olive Drab Cadmium Plated
Voltage - Rated 400VAC, 550VDC Current Rating -	Contact Finish	Gold
Current Rating -	Features	Coupling Nut
	Voltage - Rated	400VAC, 550VDC
	Current Rating	-
Report errors?		Report errors?

D38999/26JC35PN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

D38999/26JC35PN Payment Methods



















D38999/26JC35PN Shipping Methods













If you have any question about D38999/26JC35PN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com