



DAC7731E Information



For Reference Only

Part Number DAC7731E

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)

Data Acquisition - Digital to Analog Converters

(DAC)

Description IC D/A CONV LP 16-BIT 24-SSOP **Package** 24-SSOP (0.209", 5.30mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









DAC7731E Specifications

Manufacturer Part NumberDAC7731EManufacturerTexas InstrumentsCategoryIntegrated Circuits (ICs)Data Acquisition - Digital to Analog Converters (DAC)Package24-SSOP (0.209", 5.30mm Width)Series-Number of Bits16Number of D/A Converters1Settling Time5μsOutput TypeVoltage - BufferedDifferential OutputNoData InterfaceSPI
Category Integrated Circuits (ICs) Data Acquisition - Digital to Analog Converters (DAC) Package 24-SSOP (0.209", 5.30mm Width) Series - Number of Bits 16 Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Data Acquisition - Digital to Analog Converters (DAC) Package 24-SSOP (0.209", 5.30mm Width) Series - Number of Bits 16 Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Package 24-SSOP (0.209", 5.30mm Width) Series - Number of Bits 16 Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Series - Number of Bits 16 Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Number of Bits 16 Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Number of D/A Converters 1 Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Settling Time 5μs Output Type Voltage - Buffered Differential Output No Data Interface SPI
Output Type Voltage - Buffered Differential Output No Data Interface SPI
Differential Output No Data Interface SPI
Data Interface SPI
Reference Type External, Internal
Voltage - Supply, Analog $\pm 11.4 \text{ V} \sim 15.75 \text{ V}, -4.75 \text{ V} \sim -15.75 \text{ V}$
Voltage - Supply, Digital 5V
INL/DNL (LSB) ±6 (Max), ±4 (Max)
Architecture R-2R
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Package / Case 24-SSOP (0.209", 5.30mm Width)
Supplier Device Package 24-SSOP
Mounting Type -
Report erro

DAC7731E Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

DAC7731E Payment Methods





















DAC7731E Shipping Methods













If you have any question about DAC7731E, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com