

# DAO7W2P500G30LF

#### DAO7W2P500G30LF Information

Heisener.com	Part Number Manufacturer Category Description Package	DAO7W2P500G30LF Amphenol FCI Connectors, Interconnects D-Sub Connectors CONN D-SUB PLUG 7POS R/A SOLDER - For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### DAO7W2P500G30LF Specifications

Manufacturer Amphenol FCI   Category Connectors, Interconnects   D-Sub Connectors D-Sub Connectors   Package -   Series DW   Connector Style D-Sub, Combo   Connector Type Plug, Male Pins   Number of Positions 7 (5 + 2 Power)   Number of Rows 2   Shell Size, Connector Layout 2 (DA, A) - 7W2   Contact Type Signal and Power   Manufature Board Side (4-40)   Flange Feature Board Side (4-40)   Features Board Lock, Grounding Indents, Mounting Brackets   Shell Material, Finish Steel, Tin Plated   Contact Finish Thickness -   Ingress Protection -		
CategoryConnectors, InterconnectsD-Sub ConnectorsPackage-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Manufacturer Part Number	DAO7W2P500G30LF
D-Sub ConnectorsPackage-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMunting TypeBoard Side (4-40)Flange FeatureBoard Side (4-40)Shell Material, FinishSteel, Tin PlatedContact FinishGoldContact FinishGoldContact Finish Thickness-Ingress ProtectionMUS4 V-0	Manufacturer	Amphenol FCI
Package-SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesSolderShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Category	Connectors, Interconnects
SeriesDWConnector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0		D-Sub Connectors
Connector StyleD-Sub, ComboConnector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Package	-
Connector TypePlug, Male PinsNumber of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress ProtectionUL94 V-0	Series	DW
Number of Positions7 (5 + 2 Power)Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Connector Style	D-Sub, Combo
Number of Rows2Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Connector Type	Plug, Male Pins
Shell Size, Connector Layout2 (DA, A) - 7W2Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Number of Positions	7 (5 + 2 Power)
Contact TypeSignal and PowerMounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Number of Rows	2
Mounting TypeThrough Hole, Right AngleFlange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Shell Size, Connector Layout	2 (DA, A) - 7W2
Flange FeatureBoard Side (4-40)TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Contact Type	Signal and Power
TerminationSolderFeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Mounting Type	Through Hole, Right Angle
FeaturesBoard Lock, Grounding Indents, Mounting BracketsShell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Flange Feature	Board Side (4-40)
Shell Material, FinishSteel, Tin PlatedContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Termination	Solder
Contact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Features	Board Lock, Grounding Indents, Mounting Brackets
Contact Finish Thickness-Ingress Protection-Material Flammability RatingUL94 V-0	Shell Material, Finish	Steel, Tin Plated
Ingress Protection-Material Flammability RatingUL94 V-0	Contact Finish	Gold
Material Flammability Rating UL94 V-0	Contact Finish Thickness	-
	Ingress Protection	-
Report errors?	Material Flammability Rating	UL94 V-0
		Report errors?

#### DAO7W2P500G30LF Guarantees



**Quality Guarantees** 


We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### DAO7W2P500G30LF Payment Methods



If you have any question about DAO7W2P500G30LF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com